



SONIC LOG

Company		VESS OIL CORPORATION	
Well	WIDMAN #7		
Field	PARADISE CREEK		
County	ROOKS	State	KANSAS
Location:		API # : 15-163-24371-00-00	Other Services DIL/MEL
Permanent Datum		GROUND LEVEL Elevation	2164
Log Measured From		KELLY BUSHING 8' A.G.L	
Drilling Measured From		KELLY BUSHING	
SEC 21 TWP 9S RGE 18W		Elevation	K.B. 2172 D.F. 2170 G.L. 2164
1320' FSL & 2310' FWL E2 - E2 - SW			
Date	10/26/18		
Run Number	TWO		
Depth Driller	3587		
Depth Logger	3588		
Bottom Logged Interval	3578		
Top Log Interval	200		
Casing Driller	8 5/8" @ 220		
Casing Logger	220		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4000 PPM	
Density / Viscosity	9.1/53		
pH / Fluid Loss	10.0/6.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.70 @ 78F		
Rmf @ Meas. Temp	.52 @ 78F		
Rmc @ Meas. Temp	.84 @ 78F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.48 @ 112F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	112F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	ROGER MARTIN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
PLAINVILLE, KS. - 1 WEST TO RD. 16 - 1 NORTH - 3/4 WEST - NORTH INTO





MAIN SECTION

Database File	3011ddn8.db
Dataset Pathname	pass8.2
Presentation Format	_slt
Dataset Creation	Fri Oct 26 21:01:13 2018
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			








600


650

700

750

800







850

900

950

1000






1050


1100


1150

1200

1250










1500


1550

1600

1650









1950

2000

2050

2100






2150


2200

2250

2300

2350







2400


2450

2500

2550








2800


2850

2900

2950

3000







3050

3100

3150

3200






3250


3300

3350

3400

3450






REPEAT SECTION

Database File 3011ddn8.db
 Dataset Pathname pass7.1
 Presentation Format _slt
 Dataset Creation Fri Oct 26 20:19:40 2018
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (u sec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			




3400

3450

3500

3550



0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			