



COMPUTER GENERATED INTERPRETATION

Company Mid-Continent Energy Corp.

Well White B #3

Field Stoltzenberg

County Ellsworth State KS

Location: API #: 15 053 21349

Other Services

2115' FSL & 1460' FWL

SEC 8 TWP 16S RGE 10W

Permanent Datum Ground Level Elevation 1851'

Log Measured From KB 11' AGL

Drilling Measured From KB

Elevation

K.B. 1862'

D.F. 1861'

G.L. 1851'

Date 1-16-17

Depth Driller 3400'

3397'

SW Water Saturation

Rwa Apparent Water Resistivity

VSH Shale Volume

PHIE Effective Porosity

K Permeability

BWW Bulk Volume Water

If: PHIE>6%, VSH<50%, SW<50%, DCAL<10"

Recorded By Gus Pfannenstiel

Witnessed By Mr. Eli Felts

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Gemini Wireline
785-625-1182



Main Pass

Database File gcolorchart.db
 Dataset Pathname pass3.1
 Presentation Format color
 Dataset Creation Wed Nov 17 11:09:46 2010
 Charted by Depth in Feet scaled 1:240



Database File mcewhiteb#3oh.db
 Dataset Pathname pass0
 Presentation Format kohcgi
 Dataset Creation Fri Jan 20 10:19:22 2017
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	0.2	RILD (Ohm-m)	2000	0	MI (Ohm-m)	60	100	SW (%)	-100	0	VSH (%)	100
-100	SP (mV)	100	0.2	RLL3 (Ohm-m)	2000	0	MN (Ohm-m)	60	50	PHIE (%)	0	50	PHIE (%)	0
6	DCAL (in)	16	60	NEU (NAPI)	700	0	Rwa (Ohm-m)	1	50	BVW (%)	0			
6	BOREID (in)	16				0	K	5	30	NPOR (pu)	-10			
-160	RxoRt	40							30	DPOR (pu)	-10			
									2000	OILREC (bbl)	0			
									8000	OILRIP (bbl)	0			

