

MICRO LOG

Company	PROLIFIC RESOURCES	Company	PROLIFIC RESOURCES
Well	FISCHER #1	Well	FISCHER #1
Field	EDDY	Field	EDDY
County	PAWNEE	County	PAWNEE
State	KANSAS	State	KANSAS
Location:	API # : 15-145-21837-00-00	Other Services	CDL/CNL/DIL
	1246' FSL & 977' FWL		
	SEC 12 TWP 22S RGE 18W		
Permanent Datum	GROUND LEVEL	Elevation	2038
Log Measured From	KELLY BUSHING 7' A.G.L.		
Drilling Measured From	KELLY BUSHING		
Date	10/18/18		
Run Number	TWO		
Depth Driller	4300		
Depth Logger	4301		
Bottom Logged Interval	4300		
Top Log Interval	3400		
Casing Driller	8 5/8" @ 1108		
Casing Logger	1108		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	8.6/62		
pH / Fluid Loss	10.5/12.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.9@72		
Rmt @ Meas. Temp	.66@72		
Rmc @ Meas. Temp	1.08@72		
Source of Rmt / Rmc	MEASURED		
Rm @ BHT	.54@119		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	119F		
Equipment Number	4010		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	JEFFREY A. BURK		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395

DIRECTIONS


FROM FORT LARNED GO WEST 1/2 MILE TO 180 RD.
SOUTH TO L RD., 3 WEST TO 210 RD
SOUTH 1 MILE, 3/4 EAST, NORTH INTO.







MAIN PASS


Database File: 2924ddn.db
Dataset Pathname: pass6.1
Presentation Format: _micro
Dataset Creation: Thu Oct 18 07:11:19 2018
Charted by: Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		













REPEAT SECTION

Database File: 2924ddn.db
 Dataset Pathname: pass5.1
 Presentation Format: _micro
 Dataset Creation: Thu Oct 18 07:15:32 2018
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
			CHD-None (1)	1.00	1.69	10.00
			GR-OPEN (GR5)	2.63	3.50	40.00

[illegible]