



MICRO LOG

Company	ARCADIAN RESOURCES	Company	ARCADIAN RESOURCES
Well	ROSS #1-27	Well	ROSS #1-27
Field	UNNAMED	Field	UNNAMED
County	LOGAN	County	LOGAN
State	KANSAS	State	KANSAS
Location:	AP1 # : 15-109-21590-0000		Other Services CDL/CNL/MEL
2400' FSL & 1500' FWL			
SEC 27 TWP 14S RGE 33W			
Permanent Datum	GROUND LEVEL	Elevation	2859
Log Measured From	KELLY BUSHING 10' A.G.L.	K.B.	2869
Drilling Measured From	KELLY BUSHING	D.F.	2867
		G.L.	2859
Date	4/6/19		
Run Number	TWO		
Depth Driller	4600		
Depth Logger	4598		
Bottom Logged Interval	4597		
Top Log Interval	3700		
Casing Driller	8 5/8" @ 221		
Casing Logger	221		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.4/56		
pH / Fluid Loss	9.5/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.4 @ 70F		
Rmt @ Meas. Temp	.3 @ 70F		
Rmc @ Meas. Temp	.48 @ 70F		
Source of Rmt / Rmc	MEASURED		
Rm @ BHT	.23 @ 121F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	121F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	SEAN DEENIHAN		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395

DIRECTIONS


SOUTH OF OAKLEY TO GOLD RD, WEST TO THE T,
NORTH THROUGH CURVES TO LOCATION




MAIN PASS

Database File: 3494ddn.db
 Dataset Pathname: pass5.1
 Presentation Format: _micro
 Dataset Creation: Sat Apr 06 09:00:24 2019
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			







3900

3950

4000

4050






4100


4150



4200

4250

4300










REPEAT SECTION

Database File: 3494ddn.db
 Dataset Pathname: pass4RP
 Presentation Format: _micro
 Dataset Creation: Sat Apr 06 09:06:44 2019
 Charted by: Depth in Feet scaled 1:240





Calibration Report		
Database File:	3494ddn.db	
Dataset Pathname:	pass4RP	
Dataset Creation:	Sat Apr 06 09:06:44 2019	
MICRO Calibration Report		
Serial Number:	MICRO3	
Tool Model:	PROBE	
Performed:	Thu Apr 04 15:21:51 2019	
Caliper Calibration:	Gain=5.761	Offset=-22.402
References	Low Cal	High Cal
Readings	7.000	14.000
	5.339	6.500
1.5" Calibration:	Gain=70.606	Offset=-1.120

1.5" Calibration:	Gain=79.000	Offset=-1.120
References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	0.230
2" Calibration:	Gain=118.028	Offset=-0.176
References	Low Cal	High Cal
Readings	0.000	20.000
	0.018	0.188
Gamma Ray Calibration Report		
Serial Number:	GR5	
Tool Model:	OPEN	
Performed:	Wed Feb 27 04:44:36 2019	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.5600	GAPI/cps