



MICRO LOG

Company ARCADIAN RESOURCES  
Well TINLEY #1-24  
Field UNNAMED  
County DECATUR  
State KANSAS

Company ARCADIAN RESOURCES  
Well TINLEY #1-24  
Field UNNAMED  
County DECATUR State KANSAS

Location: API #: 15-039-21258-0000  
760' FNL & 910' FEL  
SEC 24 TWP 2S RGE 27W  
Permanent Datum GROUND LEVEL Elevation 2650  
Log Measured From KELLY BUSHING 9' A.G.L.  
Drilling Measured From KELLY BUSHING  
Elevation  
K.B. 2659  
D.F. 2657  
G.L. 2650

Date	2/16/19	
Run Number	TWO	
Depth Driller	3943	
Depth Logger	3700	SEE COMMENTS
Bottom Logged Interval	3700	
Top Log Interval	2850	
Casing Driller	8 5/8" @ 264	
Casing Logger	264	
Bit Size	7 7/8"	
Type Fluid in Hole	CHEMICAL MUD	
Density / Viscosity	9.3/57	
pH / Fluid Loss	10.0/7.6	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	1.6 @ 60F	
Rmt @ Meas. Temp	1.2 @ 60F	
Rmc @ Meas. Temp	1.92 @ 60F	
Source of Rmf / Rmc	MEASURED	
Rm @ BHT	.83 @ 115F	
Time Circulation Stopped	2 HOURS	
Time Logger on Bottom	////	
Maximum Recorded Temperature	115F	
Equipment Number	1523	
Location	HAYS, KANSAS	
Recorded By	GUS PFANENSTIEL	
Witnessed By	PAT DEENIHAN	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395

DIRECTIONS  
WEST OF NORTON TO 2300 RD,  
NORTH 4 MILES, EAST INTO.


LOGGED UP FROM 3700 DUE TO HOLE CONDITION






MAIN PASS


Database File: 3483ddn.db  
 Dataset Pathname: pass5.1  
 Presentation Format: \_micro  
 Dataset Creation: Fri Feb 15 17:44:03 2019 by Calc Open-Cased 090629  
 Charted by: Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		













# REPEAT SECTION

Database File: 3483ddn.db  
 Dataset Pathname: pass4.1  
 Presentation Format: \_micro  
 Dataset Creation: Fri Feb 15 17:40:01 2019 by Calc Open-Cased 090629  
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report

Database File: 3483ddn.db  
 Dataset Pathname: pass4.1  
 Dataset Creation: Fri Feb 15 17:40:01 2019 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number:	MICRO3	
Tool Model:	PROBE	
Performed:	Sat Jan 05 10:53:05 2019	
Caliper Calibration:	Gain=5.761	Offset=-23.102
	Low Cal	High Cal
References	7.000	14.000
Readings	5.339	6.500
1.5" Calibration:	Gain=50.000	Offset=0.400
	Low Cal	High Cal
References	0.000	20.000
Readings	0.004	0.228
2" Calibration:	Gain=55.553	Offset=0.220
	Low Cal	High Cal
References	0.000	20.000
Readings	0.005	0.175

Gamma Ray Calibration Report

Serial Number:	GR5
Tool Model:	OPEN
Performed:	Tue Jan 01 05:52:14 2019

Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.5600	GAPI/cps