



**DUAL RECEIVER  
CEMENT BOND LOG**

Company DIXON OPERATING COMPANY, LLC.  
 Well BYER #1-3  
 Field MIKES METEOR  
 County STAFFORD  
 State KANSAS Country USA

Company DIXON OPERATING COMPANY, LLC.  
 Well BYER #1-3  
 Field MIKES METEOR  
 County STAFFORD  
 State KANSAS Country USA

Location: 2310' FSL & 350' FEL  
 API # : 15-185-23986-0000  
 Other Services  
 SEC 3 TWP 23S RGE 12W  
 Permanent Datum GROUND LEVEL Elevation 1831  
 Log Measured From KELLY BUSHING 9' A.G.L.  
 Drilling Measured From KELLY BUSHING  
 Elevation  
 K.B. 1840  
 D.F. 1838  
 G.L. 1831

Date	7/12/17				
Run Number	ONE				
Depth Driller	3880				
Depth Logger	3854				
Bottom Logged Interval	3852				
Top Log Interval	2800				
Open Hole Size	7 7/8				
Type Fluid	WATER				
Density / Viscosity					
Max. Recorded Temp.					
Estimated Cement Top	2886				
Time Well Ready					
Time Logger on Bottom	747				
Equipment Number					
Location	HAYS, KANSAS				
Recorded By	J. CAPPELLUCCI				
Witnessed By	PMAST				
Borehole Record		Tubing Record			
Run Number	Bit	From	To	Size	Weight
					From
					To
Casing Record	Size	Wgt/Ft	Top	Bottom	
Surface String	8 5/8		0	367	
Prot. String					
Production String	5 1/2		0		
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING NABORS COMPLETION & PRODUCTION SERVICES COMPANY  
 HAYS, KANSAS (785) 628-6395  
 DIRECTIONS  
 HUDSON, KS. - 2 EAST TO RD. 70 - 1 1/2 SOUTH - WEST INTO




**MAIN SECTION**

Database File: 1680cbl.db  
 Dataset Pathname: pass2.1  
 Presentation Format: dcbl02  
 Dataset Creation: Wed Jul 12 12:22:18 2017 by Calc 7.0 B1  
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150
200	5' Travel Time (usec)	1000

0	3' Amplitude (mV)	100
9	CCL	-1
0	Amplified Amplitude (mV)	20

200	5FT VDL	1000
-----	---------	------





2800


2850

ESTIMATED CEMENT TOP

2900

2950










3000


3050

3100

3150










3450

3500

3550

3600







3650

3700

3750

3800

3850  
TD 3854



0	Gamma Ray (GAPI)	150	0	3' Amplitude (mV)	100	200	5FT VDL	1000
200	5' Travel Time (usec)	1000	9	CCL	-1			
-----			0	Amplified Amplitude (mV)	20			
-----								