

SONIC LOG

Company DIXON OPERATING COMPANY, LLC.
 Well BYER #1-3
 Field MIKES METEOR
 County STAFFORD State KANSAS

Location: API #: 15-185-23986-0000
 2310' FSL & 350' FEL
 SEC 3 TWP 23S RGE 12W
 Permanent Datum GROUND LEVEL Elevation 1831
 Log Measured From KELLY BUSHING 9' A.G.L.
 Drilling Measured From KELLY BUSHING
 Other Services CDL/CN/PE DIL/MEL
 Elevation K.B. 1840 D.F. 1838 G.L. 1831


Date	7/1/17
Run Number	TWO
Depth Driller	3880
Depth Logger	3874
Bottom Logged Interval	3864
Top Log Interval	350
Casing Driller	8 5/8" @ 367'
Casing Logger	366'
Bit Size	7 7/8
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.2/51
PH / Fluid Loss	9.0/10.6
Source of Sample	FLOWLINE
Rm @ Meas. Temp	.60 @ 85F
Rmt @ Meas. Temp	.45 @ 85F
Rmc @ Meas. Temp	.72 @ 85F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.44 @ 115F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	
Maximum Recorded Temperature	115F
Equipment Number	3802
Location	HAYS, KANSAS
Recorded By	JASON CAPPELLUCCI
Witnessed By	CHUCK SCHMALTZ

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
 DIRECTIONS
 HWY 281 & HWY 19 - SOUTH TO 70TH RD. (QUIVIRA BLKTOP)
 7 EAST TO 70 RD. - 1 1/4 NORTH - WEST INTO




MAIN SECTION

Database File 1566pe8.db
 Dataset Pathname pass6
 Presentation Format _slt
 Dataset Creation Sat Jul 01 08:09:01 2017
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20	
			0 (ft3)	10			








550



600


650


700






















2100


2150


2200


2250


























REPEAT SECTION

Database File 1566pe8.db
 Dataset Pathname pass5.1
 Presentation Format _slt
 Dataset Creation Sat Jul 01 08:24:44 2017
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3)	10		






3700

3750

3800

3850



0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			