



SONIC LOG

Company	TRANS PACIFIC OIL CORPORATION		
Well	MCMANNIS B UNIT #1-34		
Field	WILDCAT		
County	PRATT	State	KANSAS
Location:	API # : 15-151-22462-00-00		Other Services
	105' FSL & 840' FWL		CDL/CNL
	SEC 34 TWP 26S RGE 15W		DIL/MICRO
Permanent Datum	GROUND LEVEL	Elevation	2055
Log Measured From	KELLY BUSHING 11' A.G.L.		
Drilling Measured From	KELLY BUSHING		
Date	06/09/17		
Run Number	TWO		
Depth Driller	4530		
Depth Logger	4531		
Bottom Logged Interval	4525		
Top Log Interval	200		
Casing Driller	8 5/8" @ 264		
Casing Logger	264		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 5000 PPM	
Density / Viscosity	9.1/55		
pH / Fluid Loss	10.0/9.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.7@82		
Rmt @ Meas. Temp	.52@82		
Rmc @ Meas. Temp	.84@82		
Source of Rmt / Rmc	MEASURED		
Rm @ BHT	.47@120		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	120F		
Equipment Number	4010		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	MAX LOVELY		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS
WEST OF PRATT TO BYERS RD. NORTH TO 50 RD.
3 WEST, 1 NORTH,
1 WEST.





MAIN PASS


Database File: 1470ddn.db
Dataset Pathname: pass6BCS
Presentation Format: _slt
Dataset Creation: Sat Jun 10 02:48:02 2017 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			












850

900

950

1000






1050


1100

1150

1200

1250







1300



1350


1400


1450












2150


2200

2250

3000

3500







2400

2450

2500

2550








2600


2650

2700

2750









3050

3100

3150

3200






3250


3300

3350

3400

3450







3500

3550

3600

3650








3700


3750

3800

3850









4150

4200


4250

4300






0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
0	MINMK	20	TBHV	0	ITT (msec)		20	




REPEAT SECTION

Database File: 1470ddn.db
 Dataset Pathname: pass5.1
 Presentation Format: slit
 Dataset Creation: Sat Jun 10 02:05:28 2017 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			





Calibration Report			
Database File:	1470ddn.db		
Dataset Pathname:	pass5.1		
Dataset Creation:	Sat Jun 10 02:05:28 2017 by Calc Open-Cased 090629		
MICRO Calibration Report			
Serial Number:	MICRO3		
Tool Model:	PROBE		
Performed:	Wed Jun 07 21:35:28 2017		
Caliper Calibration:	Gain=3.745	Offset=-8.917	
	Low Cal	High Cal	
References	7.000	14.000	
Readings	3.930	5.799	
1.5" Calibration:	Gain=130.000	Offset=0.200	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.004	0.228	
2" Calibration:	Gain=110.553	Offset=-1.220	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.005	0.175	
Gamma Ray Calibration Report			
Serial Number:	GR2		
Tool Model:	OPEN		
Performed:	Wed Jun 07 21:43:13 2017		
Calibrator Value:	1.0	GAPI	
Background Reading:	0.0	cps	
Calibrator Reading:	1.0	cps	
Sensitivity:	0.3800	GAPI/cps	