



MICRO RESISTIVITY LOG

Company Taos Resources Operating Company LLC

Well LFJ #5

Field Maddix North

County Cowley State Kansas

Location: API #: 15 035 24671

SEC 34 TWP 32S RGE 5E

Permanent Datum

Log Measured From

Drilling Measured From

Ground Level

KB 11' AGL

KB

Elevation

1269'

Other Services

DIL

BHC

CDNL

Elevation

K.B. 1280'

D.F. 1279'

G.L. 1269'

Company

Well

Field

County

State

Date

Run Number

Depth Driller

Depth Logger

Bottom Logged Interval

Top Log Interval

Casing Driller

Casing Logger

Bit Size

Type Fluid in Hole

Density / Viscosity

pH / Fluid Loss

Source of Sample

Rm @ Meas. Temp

Rmf @ Meas. Temp

Rmc @ Meas. Temp

Source of Rmf / Rmc

Rm @ BHT

Time Circulation Stopped

Time Logger on Bottom

Maximum Recorded Temperature

Equipment Number

Location

Recorded By

Witnessed By

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

East of Winfield to 151st rd., 2 south, 1/2 east, north into

Thank you for using Gemini Wireline
785-625-1182






MAIN PASS

Database File taoslfj#5on.db
Dataset Pathname pass4
Presentation Format kml
Dataset Creation Sat Jun 10 17:17:26 2017
Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150
6	MCAL (in)	16
6	BOREID (in)	16
0	MINMK	50

0	MN 2" (Ohm-m)	20
0	MI 1" (Ohm-m)	20
10000	LTEN (lb)	0






550


600

650

700

750







800

850

900

950







1000

1050

1100

1150






1200


1250

1300

1350

1400







1450

1500

1550

1600






1650


1700

1750

1800

1850







1900

1950

2000

2050







2100

2150

2200

2250






2300


2350

2400

2450

2500







2550

2600

2650

2700






2750


2800

2850

2900

2950







3000

3050

3100

3150








3200

3250

3300

3350






REPEAT SECTION

Database File taoslfj#5oh.db
 Dataset Pathname pass3
 Presentation Format kml
 Dataset Creation Sat Jun 10 17:05:03 2017
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150
6	MCAL (in)	16
6	BOREID (in)	16
0	MINMK	50

0	MN 2" (Ohm-m)	20
0	MI 1" (Ohm-m)	20
10000	LTEN (lb)	0



3400

3450

3500

3550

