



MICRO RESISTIVITY LOG

Company Taos Resources Operating Company LLC

Well Reed #34-1

Field Maddix North

County Cowley State Kansas

Location: API #: 15 035 24672

SEC 34 TWP 32S RGE 5E

Permanent Datum Ground Level Elevation 1294'

Log Measured From KB 11' AGL

Drilling Measured From KB

Other Services
DIL
BHC
CDNL

Elevation

K.B. 1305'

D.F. 1304'

G.L. 1294'

Company

Taos Resources Operating Company LLC

Well

Reed #34-1

Field

Maddix North

County

Cowley

State

Kansas

Date

Run Number

Depth Driller

Depth Logger

Bottom Logged Interval

Top Log Interval

Casing Driller

Casing Logger

Bit Size

Type Fluid in Hole

Density / Viscosity

pH / Fluid Loss

Source of Sample

Rm @ Meas. Temp

Rmf @ Meas. Temp

Rmc @ Meas. Temp

Source of Rmf / Rmc

Rm @ BHT

Time Circulation Stopped

Time Logger on Bottom

Maximum Recorded Temperature

Equipment Number

Location

Recorded By

Witnessed By

Mr. Mike Pressnall

Mr. Ray Dorthy

6-2-17

Two

3567'

3570'

3548'

350'

8 5/8" @ 240'

240'

7 7/8"

Chemical

9.7/44

8.5/10.4

Pit

1.20@86degf

0.96@86degf

1.54@86degf

Calculated

0.93@111degf

9:30 p.m.

1:40 a.m.

111degf

T-127

Hays, KS

C. Patterson

Mr. Mike Pressnall

Mr. Ray Dorthy

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

East of Winfield(Main St. and 160 Hwy) 6.5 mi. to 151st rd., 1 south 172nd Rd., 1/2 east, north into

Thank you for using Gemini Wireline
785-625-1182




MAIN PASS


Database File trocreed#34-1oh.db
Dataset Pathname pass4.2
Presentation Format kml
Dataset Creation Sat Jun 03 04:27:36 2017
Charted by Depth in Feet scaled 1:240


0	GR (GAPI)	150
6	MCAL (in)	16
6	BOREID (in)	16

0	MN 2" (Ohm-m)	20
0	MI 1" (Ohm-m)	20



350
400
450
500






550


600

650

700

750







800

850

900

950







1000

1050

1100

1150






1200


1250

1300

1350

1400







1450

1500

1550

1600






1650


1700

1750

1800

1850







1900

1950

2000

2050







2100

2150

2200

2250






2300


2350

2400

2450

2500







2550

2600

2650

2700






2750


2800

2850

2900

2950







3000

3050

3100

3150








3200

3250

3300

3350







REPEAT SECTION

6	MCAL (in)	16
6	BOREID (in)	16
0	MINMK	50

0	MN 2" (Ohm-m)	20
0	MI 1" (Ohm-m)	20
10000	LTEN (lb)	0



Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)	
MCAL	21.51		CHD-STD	0.50	1.69	1.00	
MI	21.51		ML-Pengo (1600)	6.97	3.50	100.00	
MN	21.51						
WVF4	14.25		SLT-G (372)	15.71	3.50	250.00	
WVF3	13.25		Sonic				
WVF2	10.25						
WVF1	9.25		CENT-OHlong	4.50	3.50	50.00	
			Open Hole long Centralizer				
		Dataset:	trocreed#34-1oh.db: field/well/run1/pass4				
		Total length:	27.67 ft				
		Total weight:	401.00 lb				
		O.D.:	3.50 in				