

SONIC LOG

Company		MULL DRILLING COMPANY, INC.	
Well		#1-27 BENNETT	
Field		WILDCAT	
County		PAWNEE	
State		KANSAS	
Location:		API # : 15-145-21824-0000	
Permanent Datum		GROUND LEVEL	
Log Measured From		2310' FSL & 961' FWL	
Drilling Measured From		W/2 - NE - NW - SW	
SEC 27 TWP 20S RGE 17W		Elevation	
		CDL/CNL	
		DIL/MEL	
		K.B. 2075	
		D.F. 2073	
		G.L. 2064	
Date	5/13/17		
Run Number	TWO		
Depth Driller	3975		
Depth Logger	3980		
Bottom Logged Interval	3972		
Top Log Interval	1100		
Casing Driller	8 5/8" @ 1154'		
Casing Logger	1154		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 7,000 PPM	
Density / Viscosity	9.2/54		
pH / Fluid Loss	10.0/7.2		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.600 @ 90F		
Rmf @ Meas. Temp	.450 @ 90F		
Rmc @ Meas. Temp	.720 @ 90F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.466 @ 116F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	7:00 P.M.		
Maximum Recorded Temperature	116F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KEVIN KESSLER		


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS

LARNED, KS., 5W. ON HWY 156 TO "RD. 150", 6N. TO "RD. U", 1 1/2W. TO "RD. 170", 1/2N., E. INTO






MAIN SECTION


Database File: 1419ddn.db
Dataset Pathname: pass6.7
Presentation Format: slt
Dataset Creation: Sat May 13 20:31:49 2017
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV	0	ITT (msec)	20		
			0 (ft3)	10				













1750


1800

1850

1900









2200

2250

2300

2350








2400


2450

2500

2550










2850


2900

2950

3000









3300

3350

3400

3450







3500

3550

3600

3650






3700



3750

3800

3850

3900





REPEAT SECTION

Database File: 1419ddn.db
 Dataset Pathname: pass5.5
 Presentation Format: slt
 Dataset Creation: Sat May 13 20:25:24 2017 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

