

**MICRO
LOG**

Company BLUE RIDGE PETROLEUM CORPORATION
 Well OLSON #1-9
 Field WILDCAT
 County MORRIS
 State KANSAS

Company BLUE RIDGE PETROLEUM CORPORATION
 Well OLSON #1-9
 Field WILDCAT
 County MORRIS State KANSAS

Location: API # : 15-127-20598-00-00
 SE/NW/NW/SE
 2173' FSL & 1997' FEL
 SEC 9 TWP 14S RGE 8E
 Permanent Datum GROUND LEVEL Elevation 1521'
 Log Measured From KELLY BUSHING 8' A.G.L.
 Drilling Measured From KELLY BUSHING
 Other Services
 CDL/CNL
 SONIC/DIL
 Elevation
 K.B. 1529'
 D.F. 1527
 G.L. 1521

Date	10/08/17
Run Number	TWO
Depth Driller	2145
Depth Logger	2145
Bottom Logged Interval	2120
Top Log Interval	300
Casing Driller	8 5/8" @ 264
Casing Logger	264
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.0/45
pH / Fluid Loss	10.5/8.0
Source of Sample	FLOWLINE
Rm @ Meas. Temp	1.3@68
Rmt @ Meas. Temp	.96@68
Rmc @ Meas. Temp	1.2@68
Source of Rmt / Rmc	MEASURED
Rm @ BHT	.89@99
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	///
Maximum Recorded Temperature	99F
Equipment Number	4010
Location	HAYS, KANSAS
Recorded By	GUS PFANENSTIEL
Witnessed By	LARRY NICHOLSON

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS
 170 EXIT 313 SOUTH TO HIGHWAY 4,
 WEST 1 MILE, NORTH 1/4,
 EAST INTO.




MAIN PASS

Database File: 2101pe.db
 Dataset Pathname: pass5
 Presentation Format: _micro
 Dataset Creation: Sun Oct 08 07:15:00 2017 by Log Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








500


550


600

650










1150



1200


1250


1300



1350













REPEAT SECTION

Database File: 2101pe.db
 Dataset Pathname: pass4.1
 Presentation Format: _micro
 Dataset Creation: Sun Oct 08 08:26:21 2017
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			

0 (ft3) 10



0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40

0	MINMK	20	TBHV
		0	(ft3) 10

Calibration Report

Database File: 2101pe.db
Dataset Pathname: pass4.1
Dataset Creation: Sun Oct 08 08:26:21 2017

MICRO Calibration Report

Serial Number: MICRO6
Tool Model: PROBE
Performed: Wed Aug 16 17:13:39 2017

Caliper Calibration:	Gain=3.960	Offset=4.551
	Low Cal	High Cal
References	7.000	14.000
Readings	0.555	2.323

1.5" Calibration:	Gain=38.075	Offset=-0.400
	Low Cal	High Cal
References	0.000	20.000
Readings	0.004	1.196

2" Calibration:	Gain=48.000	Offset=-1.000
	Low Cal	High Cal
References	0.000	20.000
Readings	0.006	0.913

Gamma Ray Calibration Report

Serial Number: GR2
Tool Model: OPEN
Performed: Wed Aug 16 17:13:40 2017

Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.3800	GAPI/cps