


DatabaseC:\ProgramData\Warrior\Data\rijm_riedl_4.db
Dataset field/well/stack/pass3.1/_vars_

Top - Bottom

A	BOREID in	BOTTEMP degF	CASEOD in	CASETHCK in	FLUIDDEN g/cc	M	MATRXDEN g/cc
1	7.875	100	5.5	0	1	2	2.71
NPORSEL	PERFS	SNDERR mmho/m	SNDERRM mmho/m	SPSHIFT mV	SRFTEMP degF	SZCOR	TDEPTH ft
Limestone	0	0	0	0	0	Off	0

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
MCAL MI MN	28.00		ML-Armadillo (Armadillo-4) Pengo micro log tool mandrel with Armadillo Electronics	5.00	3.50	100.00
	28.00		CENT-PENGO	5.50	3.00	70.00
	28.00					
WVF4 WVF1	13.50 13.50		SLT-PENGO (0001)	16.00	3.50	300.00
WVF3 WVF2	11.50 11.50					



CENT-PENGO

5.50


3.00




70.00



Dataset: rjm_riedl_4.db: field/well/SONMEL/pass3
Total length: 32.00 ft
Total weight: 540.00 lb
O.D.: 3.50 in



Database File rjm_riedl_4.db
Dataset Pathname stack/pass3.1
Presentation Format sonic
Dataset Creation Tue Nov 21 09:14:41 2017
Charted by Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	SONIC INT	140	DELTA TIME (usec/ft) (usec/ft)	40
6	CALIPER (in)	16	RAVEL TIM	30	SONIC POROSITY (pu)	-10
6	BIT SIZE	16	(msec)	15000	LINE TENSION (lb)	0




















































REPEAT SECTION

Database File rjm_riedl_4.db
 Dataset Pathname stack/pass2.1
 Presentation Format sonic
 Dataset Creation Tue Nov 21 09:14:54 2017
 Charted by Depth in Feet scaled 1:240





 PIONEER Pioneer Energy Services		Company	RJM OIL COMPANY
		Well	RIEDL NO. 4
		Field	LARKIN
		County	BARTON
		State	KANSAS