

COMPENSATED DENSITY / NEUTRON LOG


Company	PHILLIPS EXPLORATION, CO. L.C.
Well	HORCHEM #1-9 HP
Field	SMOKE HILL NORTHEAST
County	TREGO
State	KANSAS
Company	PHILLIPS EXPLORATION COMPANY, L.C.
Well	HORCHEM #1-9 HP
Field	SMOKE HILL NORTHEAST
County	TREGO
State	KANSAS
Location:	API # : 15-195-23096-0000
Permanent Datum	1760' FNL & 650' FEL
Log Measured From	SW - NE - SE - NE
Drilling Measured From	SEC 9 TWP 15S RGE 23W
GROUND LEVEL	Elevation
KELLY BUSHING	2263
KELLY BUSHING	K.B. 2263
	D.F. 2266
	G.L. 2263
Date	10/4/19
Run Number	ONE
Depth Driller	4326
Depth Logger	4324
Bottom Logged Interval	4300
Top Log Interval	3200
Casing Driller	8 5/8"@208'
Casing Logger	208
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.1/55
pH / Fluid Loss	9.0/7.8
Source of Sample	FLOWLINE
Rim @ Meas. Temp	1.00@84F
Rinf @ Meas. Temp	.750@84F
Rmc @ Meas. Temp	.900@84F
Source of Rinf / Rmc	MEASUREMENT
Rim @ BHT	.706@119F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	7:15 A.M.
Maximum Recorded Temperature	119F
Equipment Number	922339
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	ZEB STEWART

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
WAKEENEY, KS. & I-70, 18S. ON HWY 283 TO "AA RD.", 1E., 1/2 N. INTO






MAIN SECTION


Database File: 3969ddn.db
Dataset Pathname: pass3.3
Presentation Format: den_neu
Dataset Creation: Fri Oct 04 08:39:55 2019 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	DCAL (in)	16	10 (ft3)	0 30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV		-0.25 CORRECTION (g/cc)	0.25
			0 (ft3)	10		











3850



3900

3950

4000









REPEAT SECTION

Database File: 3969ddn.db
 Dataset Pathname: pass2.2
 Presentation Format: den_neu
 Dataset Creation: Fri Oct 04 08:59:09 2019 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	DCAL (in)	16	10 (ft3)	0 30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV		-0.25 CORRECTION (g/cc)	0.25
			0 (ft3)	10		





Calibration Report

Database File: 1598ddn.db
 Dataset Pathname: pass4
 Dataset Creation: Wed Aug 30 02:13:00 2017 by Log SOC 120430

Serial-Model:
 Surface Cal Performed:
 Downhole Cal Performed:
 After Survey Verification Performed:

PROBE7-DILG
 Wed Aug 30 00:06:33 2017
 Mon Jul 28 12:02:56 2008
 Mon Jul 28 12:02:56 2008

Surface Calibration

Readings				References			Results	
Loop:	Air	Loop		Air	Loop		m	b
Deep	-0.014	0.629	V	0.000	400.000	mmho/m	620.000	0.000
Medium	0.039	0.728	V	0.000	464.000	mmho/m	675.000	-44.000
Internal:	Zero	Cal		Zero	Cal		m	b
Deep	0.011	0.610	V	0.000	400.000	mmho/m	667.135	-7.256
Medium	0.005	0.712	V	0.000	464.000	mmho/m	655.677	-3.102

Downhole Calibration

	Readings			References			Results	
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	14.508	388.384	mmho/m	1.000	0.000
Medium	0.000	0.000	mmho/m	166.367	504.400	mmho/m	1.000	0.000
LL3		7.500	V		1400.000	Ohm-m		
		0.000	V		20.000	Ohm-m		
		-7.200	V		4000.000	mmho-m		

After Survey Verification

	Readings			Targets			Results	
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
Medium	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
LL3		1.000	Ohm-m		1.000	Ohm-m		
		0.000	Ohm-m		0.000	Ohm-m		
		1.000	mmho-m		1.000	mmho-m		

Litho Density Calibration Report
 Serial: 002 Model: PRB

Master Calibration

Performed Mon Aug 21 11:27:42 2017

	Background	Magnesium	Aluminum	Sandstone	
Window 1	837.1	10632.5	2945.1	12110.1	cps
Window 2	772.0	9117.4	2570.1	10197.3	cps
Window 3	631.7	4669.0	1481.9	5042.9	cps
Window 4	187.0	187.5	185.9	189.9	cps
Long Space	0.0	8345.4	1798.1	9425.3	cps
Short Space	1.1	1927.9	1285.9	2050.2	cps
Rho		1.7100	2.5960	1.3800	g/cc
Pe		0.0000	2.5700	1.5500	
Rib Angle	: 45.2	Rib Slope	: 1.008	Density/Spine Ratio	: 0.558
Spine Angle	: 75.2	Spine Slope	: 3.790	Spine Intercept	: -19.6

Before Survey Verification

Performed Wed Dec 31 18:00:00 1969

Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps

Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	
After Survey Verification					
Performed Wed Dec 31 18:00:00 1969					
Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	
Compensated Neutron Calibration Report					
Serial Number:		070808			
Tool Model:		Probe			
PRE-SURVEY VERIFICATION					
Detector	Readings	Measured	Target		
Short Space	cps				
Long Space	cps	pu	pu		
POST-SURVEY VERIFICATION					
Detector	Readings	Measured	Target		
Short Space	cps				
Long Space	cps	pu	pu		
Gamma Ray Calibration Report					
Serial Number:	070558				
Tool Model:	OPEN_GR				
Performed:	Wed May 31 00:09:32 2017				
Calibrator Value:	1.0	GAPI			
Background Reading:	0.0	cps			
Calibrator Reading:	1.0	cps			
Sensitivity:	0.2800	GAPI/cps			