



TRIPLE COMBO LOG

Company	EAGLE CREEK CORPORATION		
Well	DECKER #1-6		
Field	WILDCAT		
County	SCOTT		
State	KANSAS		
Company	EAGLE CREEK CORPORATION		
Well	DECKER #1-6		
Field	WILDCAT		
County	SCOTT		
State	KANSAS		
Location:	API # : 15-171-21217-0000 1281' FSL & 1859' FEL NW - NE - SW - SE		
Permanent Datum	GROUND LEVEL	Elevation	3159
Log Measured From	KELLY BUSHING 5' A.G.L.		
Drilling Measured From	KELLY BUSHING		
SEC 6	TWP 17S	RGE 34W	
Date	3/13/18		
Run Number	ONE		
Depth Driller	4970		
Depth Logger	4972		
Bottom Logged Interval	4948		
Top Log Interval	3500		
Casing Driller	8 5/8"@261'		
Casing Logger	261		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 5,500 PPM	
Density / Viscosity	9.5/56		
pH / Fluid Loss	10.5/7.2		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.500@75F		
Rmf @ Meas. Temp	.375@75F		
Rmc @ Meas. Temp	.600@75F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.300@125F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom	6:15 A.M.		
Maximum Recorded Temperature	125F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	ROCKY MILFORD		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
PENCE, KS., 2W. TO "APACHE RD.", 4S., W. INTO










MAIN SECTION









Database File: 2347pe.db
Dataset Pathname: pass3.7L
Presentation Format: obrcomp
Dataset Creation: Tue Mar 13 10:04:41 2018
Charted by: Depth in Feet scaled 1:240







0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10
-200	RxoRt	100	0 20	0.2	Shallow Resistivity (Ohm-m)	200	0	PE	10
6	DCAL (in)	16	MEL20					RHOC	
6	MELCAL (Ohm-m)	16	(Ohm-m)					-0.25 (g/cc)	0.25
0	RWA (Ohm-m)	1	0 20						
















4550




4600

4650

4700

4750





0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10
-200	RxoRt	100	020	0.2	Shallow Resistivity (Ohm-m)	200	0	PE	10
6	DCAL (in)	16	MEL20						RHOC
6	MELCAL (Ohm-m)	16	(Ohm-m)						-0.25 (g/cc) 0.25
0	RWA (Ohm-m)	1	020						