

SONIC LOG


Company	BLUERIDGE PETROLEUM CORP.		
Well	ROMERO #1-4		
Field	GUNSMOKE		
County	FORD		
State	KANSAS		
Company	BLUERIDGE PETROLEUM CORPORATION		
Well	ROMERO #1-4		
Field	GUNSMOKE		
County	FORD		
State	KANSAS		
Location:	API # : 15-057-20994-0000 591' FSL & 1872' FWL NE - SW - SE - SW		
Permanent Datum	GROUND LEVEL	Elevation	2462
Log Measured From	KELLY BUSHING 8' A.G.L.		
Drilling Measured From	KELLY BUSHING		
SEC 4	TWP 27S	RGE 24W	
Date	3/7/18		
Run Number	TWO		
Depth Driller	5050		
Depth Logger	5051		
Bottom Logged Interval	5043		
Top Log Interval	400		
Casing Driller	8 5/8"@432'	13 3/8"@97'	
Casing Logger	432		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3,800 PPM	
Density / Viscosity	9.3/54		
pH / Fluid Loss	10.5/7.6		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.700@75F		
Rmf @ Meas. Temp	.525@75F		
Rmc @ Meas. Temp	.840@75F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.420@125F		
Time Circulation Stopped	5 HOURS		
Time Logger on Bottom	3:30 P.M.		
Maximum Recorded Temperature	125F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	WYATT URBAN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
DODGE CITY, KS.(HWY 400 & 56 BYPASS) S. ACROSS RIVER BRIDGE PAST "LOVES TRUCK STOP" TO
" "LARIAT WAY RD.", W. TO "N. MAIN ST.", N. INTO THEN W. THROUGH GATE





MAIN SECTION

Database File: 2345pe.db
Dataset Pathname: pass6.4
Presentation Format: slt
Dataset Creation: Wed Mar 07 17:08:14 2018
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				








600


650

700

750










1050


1100

1150

1200









1500

1550

1600

1650








1700


1750

1800

1850










2150



2200


2250



2300
















3250

3300

3350

3400






3450


3500

3550

3600

3650







3700

3750

3800

3850







3900

3950

4000

4050






4100


4150

4200

4250

4300







4350

4400

4450

4500






4550


4600

4650

4700

4750






4800



4850

4900

4950

5.5" ADUV





REPEAT SECTION

Database File: 2345pe.db
 Dataset Pathname: pass5.4
 Presentation Format: slt
 Dataset Creation: Wed Mar 07 15:39:38 2018 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

