



475	3' TRAVEL TIME (usec)	235
9	Collar Locator	-1



REPEAT SECTION

Database File: march261806.db
Dataset Pathname: pass2
Presentation Format: 3x5
Dataset Creation: Mon Mar 26 08:39:49 2018 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240






0 Gamma Ray (GAPI) 150



0 3' AMPLITUDE (mV) 100 200

475 3' TRAVEL TIME (usec) 235

9 Collar Locator -1



5' Variable Density 11

LOGGED TD 4514'




4300




4350



4400

4450

4500








3550



3600

3650


3700




3750






3250 3300 3350 3400 3450 3500








2750



2800

2850

2900

2950





2450


2500



2550



2600




2650



2700
















1200



1250

1300


1350



1400





200 950 1000 1050 1100 1150





650


700



750

800

850

900





400


450

500



550

600

650



475 3' TRAVEL TIME (usec) 235
9 Collar Locator -1



DUAL RECEIVER
CEMENT BOND
LOG

Company PALOMINO PETROLEUM	Company PALOMINO PETROLEUM						
Well MENDENHALL #6	Well MENDENHALL #6						
Field BROUGHTON NORTH	Field BROUGHTON NORTH						
County LANE	County LANE						
State KANSAS	State KANSAS						
Location: API #: 15-101-22605							
2518' FSL & 2298' FEL							
SEC 3 TWP 16S RGE 27W							
Permanent Datum GROUND LEVEL Elevation 2576'							
Log Measured From KELLY BUSHING 5' A.G.L.							
Drilling Measured From KELLY BUSHING							
Other Services							
Elevation							
K.B. 2581'							
D.F. 2580'							
G.L. 2576'							
Date	MARCH 26, 2018						
Run Number	ONE						
Depth Driller	4560'						
Depth Logger	4514'						
Bottom Logged Interval	4513'						
Top Log Interval	140'						
Open Hole Size	///						
Type Fluid	WATER						
Density / Viscosity	///						
Max. Recorded Temp.	112F						
Estimated Cement Top	3090'						
Time Well Ready	///						
Time Logger on Bottom	///						
Equipment Number	PT-06						
Location	HAYS						
Recorded By	BOB KLAUS						
Witnessed By	GLENN DINKEL						
Borehole Record							
Run Number	Bit	From	To	Size	Weight	From	To
ONE	12.25	00	218'				
TWO	7.875	218'	4560'				
Casing Record		Size	Wgt/Ft	Top	Bottom		
Surface String	8 5/8			00	218'		
Rot. String							
Production String	5 1/2			00	4559'		
Inner							

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. The interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING
PERF-TECH WIRELINE SERVICES, INC.
785-628-3969

DIRECTIONS: PENDENNIS, KS.
EAST to RED CHIEF Rd,
3 NORTH to 285 Rd,
2 EAST, NORTH & EAST into

MAIN PASS

Database File: march261806.db
Dataset Pathname: pass3
Presentation Format: 3x5
Dataset Creation: Mon Mar 26 08:44:53 2018 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240

0	Camera Ray (GAPI)	150	0	3' AMPLITUDE (mV)	100 200	5' Variable Density	10
475	3' TRAVEL TIME (usec)	235					
9	Collar Locator	-1					

