

RADIATION GUARD LOG


Company DAYSTAR PETROLEUM, INC.		Company DAYSTAR PETROLEUM, INC.	
Well TREMBLEY "A" #2		Well TREMBLEY "A" #2	
Field ARLINGTON TOWNSITE		Field ARLINGTON TOWNSITE	
County RENO		County RENO	
State KANSAS		State KANSAS	
Location: 1650' FSL & 330' FWL		Location: 1650' FSL & 330' FWL	
Permanent Datum SEC 3 TWP 25S RGE 8W		Permanent Datum SEC 3 TWP 25S RGE 8W	
Log Measured From GROUND LEVEL Elevation 1626		Log Measured From GROUND LEVEL Elevation 1626	
Drilling Measured From KELLY BUSHING 12' A.G.L.		Drilling Measured From KELLY BUSHING 12' A.G.L.	
Elevation K.B. 1638 D.F. 1636 G.L. 1626		Elevation K.B. 1638 D.F. 1636 G.L. 1626	
Date 5/2/18	Run Number ONE		
Depth Driller 3657	Depth Logger 3658		
Bottom Logged Interval 3656	Bottom Logged Interval 3656		
Top Log Interval 2560	Top Log Interval 2560		
Casing Driller 8 5/8" @ 3'10'	Casing Driller 8 5/8" @ 3'10'		
Casing Logger 309	Casing Logger 309		
Bit Size 7 7/8	Bit Size 7 7/8		
Type Fluid in Hole CHEMICAL MUD	Type Fluid in Hole CHEMICAL MUD		
Density / Viscosity 9.3/58	Density / Viscosity 9.3/58		
pH / Fluid Loss 10.0/8.8	pH / Fluid Loss 10.0/8.8		
Source of Sample FLOWLINE	Source of Sample FLOWLINE		
Rm @ Meas. Temp .50 @ 82F	Rm @ Meas. Temp .50 @ 82F		
Rmf @ Meas. Temp .37 @ 82F	Rmf @ Meas. Temp .37 @ 82F		
Rmc @ Meas. Temp .60 @ 82F	Rmc @ Meas. Temp .60 @ 82F		
Source of Rmf / Rmc MEASUREMENT	Source of Rmf / Rmc MEASUREMENT		
Rm @ BHT .36 @ 113F	Rm @ BHT .36 @ 113F		
Time Circulation Stopped 2 HOURS	Time Circulation Stopped 2 HOURS		
Time Logger on Bottom 113F	Time Logger on Bottom 113F		
Maximum Recorded Temperature 3802	Maximum Recorded Temperature 3802		
Equipment Number HAYS, KANSAS	Equipment Number HAYS, KANSAS		
Location JASON CAPPELLUCCI	Location JASON CAPPELLUCCI		
Recorded By JON CHRISTENSEN	Recorded By JON CHRISTENSEN		
Witnessed By	Witnessed By		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
ARLINGTON, KS. - 1 WEST - 1/2 NORTH - EAST INTO





MAIN SECTION



Database File 2050rag8.db
Dataset Pathname pass3.2
Presentation Format _ragstk
Dataset Creation Wed May 02 12:55:37 2018
Charted by Depth in Feet scaled 1:600


0	GAMMA RAY (GAPI)	150	ABHV	GUARD	
6	CALIPER (in)	16	10 (ft3) 0	NEUTRON	
-100	SP (mV)	100	TBHV		
			0 (ft3) 10		




500
550
600
650
700
750
800
850
900
950
1000










1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100





2150
2200
2250
2300
2350
2400
2450
2500
2550
2600
2650





2700

2750

2800

2850

2900

2950


3000


3050

3100

3150

3200







MAIN SECTION

Dataset Pathname pass3.1
Presentation Format _ragstk
Dataset Creation Wed May 02 12:34:41 2018
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	GUARD	
6	CALIPER (in)	16	10 (ft3) 0	NEUTRON	
-100	SP (mV)	100	TBHV		
			0 (ft3) 10		






2850



2900

2950

3000

3050







3100

3150

3200

3250








3300

3350

3400

3450





0	GAMMA RAY (GAPI)	150	ABHV	
6	CALIPER (in)	16	10 (ft3)	0
-100	SP (mV)	100	TBHV	
			0 (ft3)	10

GUARD

NEUTRON

