

MICRO LOG


Company		DIXON OPERATING COMPANY	
Well		#6 KIRKBRIDE OWWO	
Field		MEDICINE LODGE NORTH	
County		BARBER	
State		KANSAS	
Location:		AP1 # : 15-007-20571-0000 500' FSL & 660' FEL	
Permanent Datum		GROUND LEVEL	
Log Measured From		KELLY BUSHING 11' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 20 TWP 32S RGE 12W		Elevation K.B. 1614 D.F. 1612 G.L. 1603	
Date	4/22/18		
Run Number	TWO		
Depth Driller	4818		
Depth Logger	4818		
Bottom Logged Interval	4800		
Top Log Interval	3600		
Casing Driller	8 5/8"@247'		
Casing Logger	248		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 42000 PPM	
Density / Viscosity	9.7/52		
pH / Fluid Loss	7.0/NC		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.20 @ 55F		
Rmf @ Meas. Temp	.15 @ 55F		
Rmc @ Meas. Temp	.24 @ 55F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.08 @ 123F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	123F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	BRUCE REED		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
MEDICINE LODGE, KS. - 3 WEST TO GYP HILL RD. - 2 SOUTH TO RED ROCK RD. - 1/2 EAST
SOUTH BEFORE THE CATTLE GUARD - FOLLOW ROAD SOUTH & WEST INTO




MAIN SECTION

Database File: 2484pe.db
Dataset Pathname: pass7.1
Presentation Format: _micro
Dataset Creation: Sun Apr 22 23:30:30 2018 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			
			0 (ft3)	10		








3800


3850

3900

3950










4250



4300

4350

4400









REPEAT SECTION

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	20
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	20
0	MINMK	20	TBHV			
			0 (ft3)	10		







4550

4600

4650

4700





Calibration Report

Database File: 2484pe.db
 Dataset Pathname: pass6.1
 Dataset Creation: Sun Apr 22 23:16:04 2018 by Calc SOC 120430

MICRO Calibration Report

Serial Number:	070911	
Tool Model:	ProbeN	
Performed:	Wed Apr 04 00:59:58 2018	
Caliper Calibration:	Gain=3.843	Offset=2.627
References	Low Cal	High Cal
Readings	8.200	18.000
	1.450	4.000
1.5" Calibration:	Gain=24.000	Offset=0.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	1.240
2" Calibration:	Gain=48.000	Offset=-0.500
References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	1.076

Gamma Ray Calibration Report

Serial Number: 110959
 Tool Model: OPEN_GR
 Performed: Tue Apr 17 17:53:29 2018

Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2500	GAPI/cps