



GAMMA RAY
CCL/CEMENT BOND
LOG

Company		JONES OIL EXPLORATION, LLC.	
Well		HOOPER #33-1	
Field		PERU-SEDAN	
County		CHAUTAUQUA	
State		KANSAS	
Location:		API #: 15-019-27633-00-00	
Permanent Datum		SW NE SE NE	
Log Measured From		3490' FSL & 495 FEL	
Drilling Measured From		SEC 33 TWP 34S RGE 12E	
Elevation		888' est	
Other Services		K.B. --- D.F. --- G.L. 888' est	
Run Number		7-25-2018	
Depth Driller		ONE	
Depth Logger		1080'	
Bottom Logged Interval		1065.5'	
Top Log Interval		1064'	
Open Hole Size		SURFACE	
Type Fluid		5.5"	
Density / Viscosity		WATER	
Max. Recorded Temp.		---	
Estimated Cement Top		SURFACE	
Time Well Ready		ON ARRIVAL	
Time Logger on Bottom		---	
Equipment Number		OW3	
Location		HOMINY, OK.	
Recorded By		MIEARS	
Witnessed By		MR. JONES	
Borehole Record		Tubing Record	
Run Number		Bit	
From		To	
Size		Weight	
From		To	
Casing Record		Size	
Surface String		Wgt/Lft	
Prot. String		Top	
Production String		Bottom	
Liner		T.D.	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.




Comments


FILE # 4785GNCBL- OW3 JONES OIL HOOPER #33-1
CREW: B. MARSHALL, T. LUNN, R. KIDD
THANK YOU FOR USING OSAGE WIRELINE!!!



GR/CCL/CEMENT BOND

Database File: 4785gncbl-ow3 jones hooper 33-1.db
Dataset Pathname: pass2
Presentation Format: scbl_dr
Dataset Creation: Wed Jul 25 08:53:10 2018 by Log 0
Charted by: Depth in Feet scaled 1:240







750


700

650

600

550







800


850

900


950

1000





1050



GR/CCL/CEMENT BOND

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
CHD	12.33		STNDRD Standard Cable Head	1.00	1.69	10.00
CBLPROBE	11.33					
CCL	10.33					
GR	7.42		CBLPROBE-PRB169SLIM (000908) PROBE 1 11/16 GR/CCL/CBL	11.33	1.69	20.00
WVF3FT	4.50					
WVF5FT	3.58					
WVFSYNC	0.00					

Dataset: 4785gncbl-ow3 jones hooper 33-1.db: field/well/run1/pass2
Total Length: 12.33 ft
Total Weight: 30.00 lb
O.D.: 1.69 in