

300

350

400

450

500

69.4

69.4

69.8

70.2

70.6

71.0


71.5

71.8

72.2

72.6





550

600

650

700

750

73.0

73.5

73.9

74.2

74.6

75.1


75.5



75.7

75.8

76.1







1050

1100

1150

1200

1250

81.3

81.7

82.2

82.8

83.4


83.6

83.9

84.0

84.3

84.5



1300

1350

1400

1450

1500

84.8

85.2

85.3

85.5

85.9


86.2


86.9

87.5

87.9

88.2





1550

1600

1650

1700

1750

88.6

89.0

89.6

89.7

90.2


90.7


91.2

91.8

91.9

92.4





1800

1850

1900

1950

2000

93.0

93.2

93.3

93.5

93.7

93.9


94.1

94.4

94.6

94.9





95.1

95.4

95.7

96.1

96.4

96.7



97.0



97.3


97.7

98.0









2800

2850

2900

2950

3000

105.5

106.0

106.3

106.7

107.1


107.4


107.7

107.9

108.3

108.7





3050

3100

3150

3200

3250

109.1

109.5

109.9

110.3

110.7


111.1



111.5


112.0

112.5

112.9







3550

3600

3650

3700

3750

119.2

119.8

120.3

120.8

121.3


122.0

122.6

123.2

123.7

124.2



3800

3850

3900

3950

4000

124.7

125.3

125.7

126.2

126.7


127.3


127.8


128.3

128.8

129.4





Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
TEMP	0.20		TEMP-C (1)	1.25	1.83	2.00

Dataset: h-c-bakel-unit-1-15-siw.db: field/well/temp/pass1
 Total length: 1.25 ft
 Total weight: 2.00 lb
 O.D.: 1.83 in

Log Variables

Database C:\ProgramData\warrion\DATA\H-C-bakel-unit-1-13-siw.db
Dataset field/well/temp/pass1/_vars_

Top - Bottom

BHTEMP_Src	BOREID	BOTTEMP	CASEOD	CASETHCK	PERFS	SRFTEMP	TDEPTH
TEMP	7.875 in	100 degF	5.5 in	0 in	0	0 degF	0 ft

Variable Description

BHTEMP_Src : BHTEMP Input Source Selector
BOREID : Borehole I.D.
BOTTEMP : Bottom Hole Temperature
CASEOD : Casing O.D.

CASETHCK : Casing Thickness
PERFS : Perforation Flag
SRFTEMP : Surface Temperature
TDEPTH : Total Depth

Company H&C OPERATIONS INC.
Well BAKEL UNIT NO.25 SIW
Field DREIL
County GRAHAM State KANSAS



TEMPERATURE
SURVEY