

MICRO LOG


Company	VINCENT OIL CORPORATION
Well	SMITH #2-6
Field	KINGSDOWN NORTHWEST
County	FORD
State	KANSAS
Location:	API # : 15-057-20998-0000 1568' FSL & 1993' FEL
SEC 6 TWP 29S RGE 22W	Other Services CDL/CNL/PE DIL/SONIC
Permanent Datum Log Measured From Drilling Measured From	GROUND LEVEL KELLY BUSHING 13' A.G.L. KELLY BUSHING
Elevation	2511 K.B. 2524 D.F. 2522 G.L. 2511
Date	5/15/18
Run Number	TWO
Depth Driller	5400
Depth Logger	5396
Bottom Logged Interval	5380
Top Log Interval	4200
Casing Driller	8 5/8"@678'
Casing Logger	680
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.2/5.1
pH / Fluid Loss	9.5/12.4
Source of Sample	FLOWLINE
Rim @ Meas. Temp	.400@80F
Rinf @ Meas. Temp	.300@80F
Rmc @ Meas. Temp	.480@80F
Source of Rinf / Rmc	MEASUREMENT
Rim @ BHT	.248@129F
Time Circulation Stopped	5 HOURS
Time Logger on Bottom	7:45 P.M.
Maximum Recorded Temperature	129F
Equipment Number	922339
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	KEN LeBLANC

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
KINGSDOWN, KS., (HWY 54 & RD. 125), 1 1/2N. TO TANK BATTERY 1/2W. INTO






MAIN SECTION

Database File: 2495pe.db
Dataset Pathname: pass8.2
Presentation Format: micro
Dataset Creation: Tue May 15 20:29:31 2018
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








4600


4650

4700

4750

4800







4850

4900

4950

5000






5050


5100

5150

5200

5250






REPEAT SECTION

Database File: 2495pe.db
 Dataset Pathname: pass7.1
 Presentation Format: micro
 Dataset Creation: Tue May 15 19:50:55 2018 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240



GAMMA RAY (API)			MELT.S (Ohm-m)		
6	CALIPER (in)	16	0	0	40
MINMK					
0		20	TBHV		
		0	(ft3)	10	



[illegible]