

		Sonic Cement Bond Log	
API No.		Company Chieftain Oil Company, Inc. Well Phye #3 Field Whelen West County Barber State Kansas	
15-007-24328-0000		Location 330' FSL & 1915' FWL E/2 - SW - SE - SW Sec: 25 Twp: 31S Rge: 12W	
Permanent Datum Log Measured From Drilling Measured From		Ground Level Kelly Bushing Kelly Bushing	
Run Number		Elevation Mast Trailer	
Date Survey		One	
Date Cementing		7/3/2018	
Type Cementing Operation		6/22/2018	
Depth Driller		Primary	
Depth Logger		4675	
Logged Interval		4624	
Casing Driller		4623 to 2550	
Float Collar -- D.V. Tool		5.5 @ TD	
Squeeze Depth		@	
Amount & Type Cement		///	
Amount & Type Admix		///	
Type Fluid In Hole		Water	
Fluid Level		Full	
Salinity PPM CL		///	
Weight lb/gal -- Vis.		///	
Approx. Logged Cement Top		2696	
Calculated Cement Top		2696	
Max. Hole Temperature		///	
Tool No.		DIG02	
Spacing Recorded		3-5	
Equipment -- Location		N. Schmiedler	
Recorded By		N. Schmiedler	
Witnessed By		Ryan Moiz	

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Excel Wireline (620) 388-5676
Medicine Lodge
N on 281 Hwy to Wells Rd
1/2 E
1/2 S to CG
W into

Database File	chieftain_phye_3.db
Dataset Pathname	grcbl/pass4
Presentation Format	excel
Dataset Creation	Tue Jul 03 14:29:17 2018
Charted by	Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	amp3ft	3	Casing Collars	-0.3	200	Variable Density (usec)	1200
0	LTEN (lb)	2000	(mV)		Amplitude				
			-100	10	Amplified Amplitude (mV)				







2750




2800


2850

2900

2950












3200


3250

3300

3350












3650




3700




3750


3800











Repeat Section

Database File: chieftain_phye_3.db
 Dataset Pathname: grcbl/pass3
 Presentation Format: excel
 Dataset Creation: Tue Jul 03 14:24:04 2018
 Charted by: Depth in Feet scaled 1:240

