



SONIC LOG

Company	VINCENT OIL CORPORATION	Company	VINCENT OIL CORPORATION
Well	CLOSE#2-2	Well	CLOSE#2-2
Field	SODVILLE	Field	SODVILLE
County	FORD	County	FORD
State	KANSAS	State	KANSAS
Location:	AP1 # : 15-057-21001-00-00		Other Services CDL/CNL/DIL MEL
Permanent Datum	2230' FSL & 2055' FWL	SEC 2	TWP 29S RGE 23W
Log Measured From	GROUND LEVEL	Elevation	2530
Drilling Measured From	KELLY BUSHING 12' A.G.L.	K.B. 2542 D.F. 2540 G.L. 2530	
Date	07/20/18		
Run Number	TWO		
Depth Driller	5350		
Depth Logger	5350		
Bottom Logged Interval	5341		
Top Log Interval	600		
Casing Driller	8 5/8" @ 845		
Casing Logger	645		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3/56		
pH / Fluid Loss	9.5/10.4		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.50@82		
Rmt @ Meas. Temp	.36@82		
Rmc @ Meas. Temp	.60@82		
Source of Rmt / Rmc	MEASURED		
Rm @ BHT	.32@128		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	128F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	Ken LeBlanc		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS
KINGSDOWN BLACKTOP NORTH TO WILBURN RD.
WEST TO 122 RD.
1/2 SOUTH, EAST INTO.





MAIN PASS


Database File: 2695pe.db
Dataset Pathname: pass5.1
Presentation Format: _slt
Dataset Creation: Fri Jul 20 07:13:29 2018
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			











1250

1300

1350

1400






1450


1500

1550

1600

1650







1700

1750

1800

1850







1900


1950

2000

2050









2350


2400

2450

2500









2800

2850

2900

2950







3000

3050

3100

3150






3200


3250

3300

3350

3400








3450


3500

3550

3600









3900

3950

4000

4050







4100

4150

4200

4250






4300


4350

4400

4450

4500






4550

4600

4650

4700






4750


4800

4850

4900

4950








5000

5050

5100

5150







REPEAT SECTION

Database File: 2695pe.db
Dataset Pathname: pass4.1
Presentation Format: _slt
Dataset Creation: Fri Jul 20 06:21:06 2018
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)		-10
0	MINMK	20	TBHV	0	ITT (msec)	20	
			0 (ft3) 10				





Calibration Report			
Database File:	2695pe.db		
Dataset Pathname:	pass4.1		
Dataset Creation:	Fri Jul 20 06:21:06 2018		
MICRO Calibration Report			
Serial Number:	MICRO4		
Tool Model:	PROBE		
Performed:	Thu Jul 05 09:30:00 2018		
Caliper Calibration:	Gain=3.729	Offset=-17.125	
	Low Cal	High Cal	
References	7.000	14.000	
Readings	6.470	8.348	
1.5" Calibration:	Gain=39.297	Offset=-1.175	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.013	1.517	
2" Calibration:	Gain=51.168	Offset=-1.264	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.015	1.180	
Gamma Ray Calibration Report			
Serial Number:	GR5		
Tool Model:	OPEN		
Performed:	Mon Jul 02 20:05:37 2018		
Calibrator Value:	1.0	GAPI	
Background Reading:	0.0	cps	
Calibrator Reading:	1.0	cps	
Sensitivity:	0.9400	GAPI/cps	