



SONIC LOG

Company		WHITE EXPLORATION, INC.	
Well		POWERS - BARLOW UNIT #1	
Field		WILDCAT	
County		FINNEY	
State		KANSAS	
Location:		API # : 15-055-22498-0000 2580' FNL & 1480' FEL	
Permanent Datum		GROUND LEVEL Elevation 2984	
Log Measured From		KELLY BUSHING 11' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 5 TWP 22S RGE 34W		Elevation K.B. 2995 D.F. 2993 G.L. 2984	
Date	9/5/18		
Run Number	TWO		
Depth Driller	5000		
Depth Logger	4999		
Bottom Logged Interval	4989		
Top Log Interval	1750		
Casing Driller	8 5/8" @ 1775'		
Casing Logger	1770		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 2800 PPM	
Density / Viscosity	9.2/59		
pH / Fluid Loss	10.5/8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.0 @ 88F		
Rmf @ Meas. Temp	.75 @ 88F		
Rmc @ Meas. Temp	1.2 @ 88F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.70 @ 126F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	125F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	ANDY WHITE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
SCOTT CITY, KS. - 18 SOUTH TO GANO RD. - 11 WEST TO BYRD RD.
1 1/2 SOUTH - EAST INTO





MAIN SECTION

Database File	3002pe8.db
Dataset Pathname	pass6
Presentation Format	_slt
Dataset Creation	Wed Sep 05 18:12:49 2018
Charted by	Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20	
			0 (ft3)	10				








2150
2200
2250
2300
2350







2400


2450


2500

2550











3050

3100

3150

3200






3250


3300

3350

3400

3450







3500


3550

3600

3650









3950

4000

4050

4100







4150

4200

4250

4300






4350


4400

4450

4500

4550







4600

4650

4700

4750





6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10
		TBHV		0	ITT (msec)	20	
		0 (ft3)		10			



REPEAT SECTION

Database File 3002pe8.db
 Dataset Pathname pass5.1
 Presentation Format _slt
 Dataset Creation Wed Sep 05 18:46:43 2018
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
-----			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

