



MICRO LOG

Company PHILLIPS EXPLORATION COMPANY L.C.

Well GEYER #3-3

Field WC

County TREGO State KANSAS

Location: API # : 15-195-23105-0000

850' FNL & 330' FWL

Other Services
CDL/CNL/DIL

SEC 3 TWP 11S RGE 24W

Elevation

Permanent Datum GROUND LEVEL Elevation 2358
Log Measured From KELLY BUSHING 5' A.G.L.
Drilling Measured From KELLY BUSHING

K.B. 2363
D.F. 2361
G.L. 2358

Date 07/12/20

Run Number TWO

Depth Driller 4000

Depth Logger 3997

Bottom Logged Interval 3996

Top Log Interval 3400

Casing Driller 8 5/8" @ 207

Casing Logger 207

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.3/48

pH / Fluid Loss 10.0/7.2

Source of Sample FLOWLINE

Rm @ Meas. Temp .9@ 82F

Rmf @ Meas. Temp .68@ 82F

Rmc @ Meas. Temp 1.08 @ 82F

Source of Rmf / Rmc MEASURED

Rm @ BHT .70@ 116F

Time Circulation Stopped 2 HOURS

Time Logger on Bottom ////

Maximum Recorded Temperature 116F

Equipment Number 1523

Location HAYS, KANSAS

Recorded By GUS PFANENSTIEL

Witnessed By PAT DEENIHAN

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS: WAKEENEY NORTH TO B RD.
6 WEST TO 200 RD., N 3/4 MILE, EAST INTO.






MAIN PASS

Database File	4693ddn.db
Dataset Pathname	pass6.1
Presentation Format	_micro
Dataset Creation	Sun Jul 12 20:16:34 2020
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		











REPEAT SECTION

Database File 4693ddn.db
Dataset Pathname pass5.1
Presentation Format _micro
Dataset Creation Sun Jul 12 20:09:32 2020
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report			
Database File	4693ddn.db		
Dataset Pathname	pass5.1		
Dataset Creation	Sun Jul 12 20:09:32 2020		
MICRO Calibration Report			
Serial Number:	Micro1		
Tool Model:	ProbeL		
Performed:	Thu Apr 02 16:23:04 2020		
Caliper Calibration:	Gain=3.980	Offset=5.001	
References	Low Cal	High Cal	
Readings	9.500	13.000	
	0.308	2.032	
1.5" Calibration:	Gain=36.134	Offset=-1.000	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.004	0.832	
2" Calibration:	Gain=38.000	Offset=-0.800	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.022	0.793	
Gamma Ray Calibration Report			
Serial Number:	GR5		
Tool Model:	OPEN		
Performed:	Sun Jan 05 05:38:27 2020		
Calibrator Value:	1.0	GAPI	
Background Reading:	0.0	cps	
Calibrator Reading:	1.0	cps	
Sensitivity:	0.5000	GAPI/cps	