



MIDWEST SURVEYS
 LOGGING - PERFORATING - CONSULTING SERVICES
 P.O. Box 68, Osawatomie, KS 66064
 913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No. _____
 Company **Lakeshore Operating, LLC.**

Well **Fuller No. LO-81**

Field **Vernon**

County **Woodson**

State **Kansas**

Location **3075 FSL & 1776 FEL
NW-SE-SW-NE**

Other Services
 Perforate

Sec. 33
 Permanent Datum
 Log Measured From
 Drilling Measured From

Temp. 23s
 GL
 GL

Rge. 16e
 Elevation 1077
 Elevation 1077

KB NA
 DF NA
 GL 1077

Date _____
 Run Number _____

Depth Driller _____
 1110.0

Bottom Logged _____
 1087.0

Bottom Logged Interval _____
 1088.0

Top Log Interval _____
 20.0

Fluid Level _____
 F-ill

Type Fluid _____
 Water

Density / Viscosity _____
 NA

Salinity - PPM Cl _____
 NA

Max Recorded Temp _____
 NA

Estimated Cement Top _____
 0.0

Equipment No. _____
 104

Recorded By _____
 Gary Mischel

Witnessed By _____
 Vasey Ketcham

BOREHOLE RECORD		CASINGS RECORD		TO	
NO.	BIT	FROM	TO	NO.	FROM
One	9.875"	40.0	7.00"	17.0	0.0
Two	5.875"	40.0	2875"	6.5	0.0
			1110.0		1090.0


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
Jackman Oilfield Services

Database File: fuller 81-lo.db
 Dataset Pathname: pass1
 Presentation Format: gr-n-ccl
 Dataset Creation: Tue Sep 04 15:00:49 2018 by Log SCH 111116
 Charted by: Depth in Feet scaled 1:240



09-13-2018
 Perforated Interval
 1017.0 - 1025.0 17 Perfs
 2" DML RTG 120° Phase

09-13-2018
 Perforated Interval
 1054.0 - 1062.0 17 Perfs
 2" DML RTG 120° Phase