



SONIC LOG

Company	GRIFFIN MANAGEMENT	Company	GRIFFIN MANAGEMENT
Well	KIM #1	Well	KIM #1
Field	WILDCAT	Field	WILDCAT
County	PRATT	County	PRATT
State	KANSAS	State	KANSAS
Location:		APL # : 15-151-22479-0000	
990' FSL & 330' FVL NW - SW - SW		CDL/CNL DIL	
SEC 27 TWP 29S RGE 15W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2004
Log Measured From	KELLY BUSHING 5' A.G.L.	K.B. 2009	
Drilling Measured From	KELLY BUSHING	D.F. 2007	
G.L. 2004			
Date	8/16/18		
Run Number	TWO		
Depth Driller	4851		
Depth Logger	4854		
Bottom Logged Interval	4846		
Top Log Interval	200		
Casing Driller	8 5/8"@259'		
Casing Logger	259		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 5,000 PPM	
Density / Viscosity	9.4/62		
pH / Fluid Loss	11.0/9.2		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.600@90F		
Rmf @ Meas. Temp	.450@90F		
Rmc @ Meas. Temp	.720@90F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.435@124F		
Time Circulation Stopped	5 HOURS		
Time Logger on Bottom	2:45 A.M.		
Maximum Recorded Temperature	124F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	BRUCE A. REED	J.R. GRIFFIN	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
CROFT, KS., 1 1/2S. TO "110TH AVE.", 1 3/4E., N. INTO




MAIN SECTION

Database File: 2675ddn.db
Dataset Pathname: pass7.5
Presentation Format: slt
Dataset Creation: Thu Aug 16 05:37:51 2018
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				







400


450

500

550










850


900

950

1000









1300

1350

1400

1450







1500

1550

1600

1650






1700


1750

1800

1850

1900








1950


2000

2050

2100









2400

2450

2500

2550







2600



2650


2700

2750










3250


3300

3350

3400

3450







3500

3550

3600

3650







3700

3750

3800

3850






3900


3950

4000

4050

4100







4150

4200

4250

4300






4350


4400

4450

4500

4550








4600

4650

4700



4750






REPEAT SECTION

Database File: 2675ddn.dlb
 Dataset Pathname: pass6.4
 Presentation Format: slt
 Dataset Creation: Thu Aug 16 05:47:48 2018
 Charted by: Depth in Feet scaled 1:240





4650

4700

4750

4800

