



MICRO LOG

Company	TRANS PACIFIC OIL CORP.		
Well	CHERI C UNIT #1-2		
Field	WILDCAT		
County	LOGAN	State	KANSAS
Location:	AP1 # : 15-109-21574-00-00		Other Services DIL/CDL/CNL
SEC 2 TWP 15S RGE 32W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2734
Log Measured From	KELLY BUSHING 8' A.G.L.	D.F.	2740
Drilling Measured From	KELLY BUSHING	G.L.	2734
Date	11/08/18		
Run Number	TWO		
Depth Driller	4510		
Depth Logger	4510		
Bottom Logged Interval	4508		
Top Log Interval	3400		
Casing Driller	8 5/8" @ 222		
Casing Logger	222		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3/54		
pH / Fluid Loss	10.5/8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.1@66		
Rmt @ Meas. Temp	.83@66		
Rmc @ Meas. Temp	1.32@66		
Source of Rmt / Rmc	MEASURED		
Rm @ BHT	.60@121		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	121F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	MAX LOVELY		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395

DIRECTIONS


OAKLEY SOUTH TO GOLD RD(1ST MILE SOUTH OF RIVER)
EAST INTO, GO TO FORK TAKE MIDDLE TRAIL SOUTH.






MAIN PASS


Database File: 3156pe.db
Dataset Pathname: pass5.1
Presentation Format: _micro
Dataset Creation: Thu Nov 08 15:04:23 2018 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			











4050



4100

4150

4200










REPEAT SECTION

Database File: 3156pe.db
 Dataset Pathname: pass4.1
 Presentation Format: _micro
 Dataset Creation: Thu Nov 08 15:00:29 2018
 Charted by: Depth in Feet scaled 1:240





Calibration Report			
Database File:	3156pe.db		
Dataset Pathname:	pass4.1		
Dataset Creation:	Thu Nov 08 15:00:29 2018		
MICRO Calibration Report			
Serial Number:	MICRO3		
Tool Model:	PROBE		
Performed:	Thu Nov 08 14:13:18 2018		
Caliper Calibration:	Gain=5.761	Offset=-24.202	
References	Low Cal	High Cal	
Readings	7.000	14.000	
	5.339	6.500	
1.5" Calibration:	Gain=120.000	Offset=0.400	
References	Low Cal	High Cal	
	0.000	20.000	

References Readings	0.000 0.004	20.000 0.228
2" Calibration:	Gain=110.553	Offset=0.220
References	Low Cal 0.000	High Cal 20.000
Readings	0.005	0.175
Gamma Ray Calibration Report		
Serial Number:	GR5	
Tool Model:	OPEN	
Performed:	Sun Sep 30 12:56:34 2018	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.5500	GAPI/cps