



MICRO LOG

Company EAGLE CREEK CORPORATION
Well BRANTNER #1-5
Field WILDCAT
County WICHITA
State KANSAS

Company EAGLE CREEK CORPORATION
Well BRANTNER #1-5
Field WILDCAT
County WICHITA
State KANSAS

Location: 1513' FSL & 1056' FWL
APL #: 15-171-21238-0000
Permanent Datum GROUND LEVEL Elevation 3148
Log Measured From KELLY BUSHING 5' A.G.L.
Drilling Measured From KELLY BUSHING
SEC 5 TWP 17S RGE 34W
Other Services
CDL/CNL/PE
DIL/SONIC
Elevation
K.B. 3153
D.F. 3151
G.L. 3148

Date	11/8/78
Run Number	TWO
Depth Driller	4930
Depth Logger	4930
Bottom Logged Interval	4916
Top Log Interval	3500
Casing Driller	8 5/8" @ 262'
Casing Logger	262
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.2/67
pH / Fluid Loss	10.5/8.0
Source of Sample	FLOWLINE
Rim @ Meas. Temp	.500 @ 80F
Rmf @ Meas. Temp	.375 @ 80F
Rmc @ Meas. Temp	.600 @ 80F
Source of Rmf / Rmc	MEASUREMENT
Rim @ BHT	.323 @ 124F
Time Circulation Stopped	4 HOURS
Time Logger on Bottom	11:00 P.M.
Maximum Recorded Temperature	124F
Equipment Number	922339
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	ROCKY MILFORD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
SCOTT CITY, KS., 12W. ON HWY96 TO SCOTT/WICHITA COUNTY LINE, 9N. TO "RD. 240", 1E. TO
"APACHE RD.", 3/4S., E. INTO





MAIN SECTION


Database File: 3057pe.db
 Dataset Pathname: pass6.1
 Presentation Format: micro
 Dataset Creation: Thu Nov 08 23:58:21 2018 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		




















REPEAT SECTION

Database File: 3057pe.db
 Dataset Pathname: pass5.1
 Presentation Format: micro
 Dataset Creation: Thu Nov 08 23:01:20 2018 by Calc SOC 120430

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report

Database File: 3057pe.db
 Dataset Pathname: pass6.1
 Dataset Creation: Thu Nov 08 23:58:21 2018 by Calc SOC 120430

MICRO Calibration Report

Serial Number:	070911	
Tool Model:	ProbeN	
Performed:	Thu Nov 08 22:13:12 2018	
Caliper Calibration:	Gain=4.575	Offset=1.358
References	Low Cal	High Cal
Readings	7.900	20.000
	1.430	4.075
1.5" Calibration:	Gain=60.000	Offset=-1.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	1.240
2" Calibration:	Gain=65.000	Offset=-1.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	1.076

Gamma Ray Calibration Report

Serial Number:	110959	
Tool Model:	OPEN_GR	
Performed:	Wed Oct 17 13:39:46 2018	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2300	GAPI/cps