



<<< Fold Here >>>


Comments


WEST OF UTICA TO RED CHIEF RD., NORTH TO 285 RD.
EAST THROUGH CURVES, SOUTH INTO AT CATTLEGUARD



Database File: 3151pe.db
Dataset Pathname: pass3MAIN
Presentation Format: _ldt_neu
Dataset Creation: Sat Oct 27 10:34:49 2018 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3)	0	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV	0	PE	10 -0.25 CORRECTION (g/cc) 0.25
			0 (ft3)	10		







3700


3750


3800

3850











BOREID			COMPENSATED DENSITY			RHOC		
						LIMESTONE MATRIX 2.71		
LTD 4578								
0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10		
6	CALIPER (in)	16	10 (ft3)	0	COMPENSATED NEUTRON (pu)	-10		
0	MINMK	20	TBHV	0	PE	10	-0.25	CORRECTION (g/cc) 0.25
			0 (ft3)	10				




REPEAT SECTION

Database File: 3151pe.db
 Dataset Pathname: pass2.1
 Presentation Format: _ldt_neu
 Dataset Creation: Sat Oct 27 09:55:30 2018
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10		
6	CALIPER (in)	16	10 (ft3)	0	COMPENSATED NEUTRON (pu)	-10		
0	MINMK	20	TBHV	0	PE	10	-0.25	CORRECTION (g/cc) 0.25
			0 (ft3)	10				





Calibration Report									
Database File:		3151pe.db							
Dataset Pathname:		pass2.1							
Dataset Creation:		Sat Oct 27 09:55:30 2018							
Dual Induction Calibration Report									
Serial-Model:		PROBE8-DILG							
Surface Cal Performed:		Mon Sep 10 14:28:35 2018							
Downhole Cal Performed:		Mon Sep 10 14:28:38 2018							
After Survey Verification Performed:		Mon Sep 10 14:28:40 2018							
Surface Calibration									
		Readings			References			Results	
Loop:	Air	Loop		Air	Loop		m	b	
Deep	0.015	0.648	V	0.000	400.000	mmho/m	620.000	0.000	
Medium	0.029	0.796	V	0.000	464.000	mmho/m	590.000	-12.000	
Internal:	Zero	Cal		Zero	Cal		m	b	
Deep	0.017	0.657	V	0.000	400.000	mmho/m	625.153	-10.619	
Medium	0.016	0.757	V	0.000	464.000	mmho/m	625.992	-9.739	
Downhole Calibration									
		Readings			References			Results	
	Zero	Cal		Zero	Cal		m'	b'	

Compensated Neutron Calibration Report
--

		Serial Number: Tool Model:		6I G		
CALIBRATION						
	Detector	Readings		Target		Normalization
	Short Space	1.00	cps	1.00	cps	1.0000
	Long Space	1.00	cps	1.00	cps	1.0000
PRE-SURVEY VERIFICATION						
	Detector	Readings		Measured		Target
1)	Short Space		cps			
	Long Space		cps	pu		pu
2)	Short Space		cps			
	Long Space		cps	pu		
3)	Short Space		cps			
	Long Space		cps	pu		
POST-SURVEY VERIFICATION						
	Detector	Readings		Measured		Target
1)	Short Space		cps			
	Long Space		cps	pu		pu
2)	Short Space		cps			
	Long Space		cps	pu		pu
3)	Short Space		cps			
	Long Space		cps	pu		pu
Gamma Ray Calibration Report						
	Serial Number:	GR6				
	Tool Model:	OPEN				
	Performed:	Mon Sep 10 14:29:23 2018				
	Calibrator Value:	150.0		GAPI		
	Background Reading:	0.0		cps		
	Calibrator Reading:	276.0		cps		
	Sensitivity:	0.5500		GAPI/cps		