



DUAL INDUCTION LOG

Company	C. G. OIL, INC.	Company	C. G. OIL, INC. OWWO
Well	WEIGEL #1 OWWO	Well	WEIGEL #1 OWWO
Field	AIR BASE	Field	AIR BASE
County	ELLIS	County	ELLIS
State	KANSAS	State	KANSAS
Location:	2310' FNL & 2310' FVL SE - SE - NW	API # : 15-051-00756-0001	Other Services CDL/CNL MEL
Permanent Datum	GROUND LEVEL	Elevation	1944
Log Measured From	KELLY BUSHING 10' A.G.L.	Elevation	K.B. 1954 D.F. 1952 G.L. 1944
Drilling Measured From	KELLY BUSHING		
SEC 22 TWP 13S RGE 16W			
Date	10/24/18		
Run Number	ONE		
Depth Driller	3438		
Depth Logger	3438		
Bottom Logged Interval	3436		
Top Log Interval	00		
Casing Driller	8 5/8"@239'		
Casing Logger	243		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 11,200 PPM	
Density / Viscosity	8.7/110		
pH / Fluid Loss	9.5/12.8		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.950@70F		
Rmf @ Meas. Temp	.713@70F		
Rmc @ Meas. Temp	1.14@70F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.599@111F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	11:45 A.M.		
Maximum Recorded Temperature	111F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	ROGER FISHER	RON SCHMIDTBERGER	TERRY PIESKER

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
VICTORIA, KS., & I-70, N. TO "FAIRGROUND RD.", 3 1/4E., S. INTO



MAIN SECTION

Database File: 2947ddn.db
Dataset Pathname: pass3.6M
Presentation Format: dil2
Dataset Creation: Wed Oct 24 13:07:11 2018
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150
-100	SP (mV)	100
0	RWA (Ohm-m)	1


0	RLL3 (Ohm-m)	50
---	--------------	----

0	RILD (Ohm-m)	50
---	--------------	----


1000	CILD (mmho/m)	0
------	---------------	---


50	RILD X10 (Ohm-m)	500
----	------------------	-----

50	RLL3 X10 (Ohm-m)	500
----	------------------	-----



0
50
100
150
200
250
300
350
400





450

500

550

600

650

700


750


800

850

900

950





1000

1050

1100

1150

1200

1250


1300


1350

1400

1450

1500





1550

1600

1650

1700

1750

1800


1850


1900

1950

2000

2050





2100

2150

2200

2250

2300

2350


2400


2450

2500

2550

2600





2650

2700

2750

2800

2850

2900


2950



3000

3050

3100

3150







ANHYDRITE

Database File: 2947ddn.db
 Dataset Pathname: pass3.7
 Presentation Format: _dil
 Dataset Creation: Wed Oct 24 12:51:19 2018
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	0.2	SHALLOW GUARD (Ohm-m)	2000
-100	SP (mV)	100	0.2	DEEP INDUCTION (Ohm-m)	2000
-250	Rxo/Rt	50	0.2	MEDIUM INDUCTION (Ohm-m)	2000
0	MINMK	20			







1050

1100

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20



0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000




MAIN SECTION


Database File: 2947ddn.db
 Dataset Pathname: pass3.6M
 Presentation Format: _dil
 Dataset Creation: Wed Oct 24 13:07:11 2018
 Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20

0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000



2800






2850


2900

2950

3000

3050







3100

3150

3200

3250






3300

3350


3400

LTD 3438

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20



0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000




REPEAT SECTION

Database File: 2947ddn.db
Dataset Pathname: pass2.4
Presentation Format: _dil
Dataset Creation: Wed Oct 24 11:56:11 2018 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	Rxo/Rt	50
0	MINMK	20

0.2	SHALLOW GUARD (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000





3200

3250

3300

3350





Calibration Report									
Database File:		1598ddn.db							
Dataset Pathname:		pass4							
Dataset Creation:		Wed Aug 30 02:13:00 2017 by Log SOC 120430							
Dual Induction Calibration Report									
Serial-Model:		PROBE7-DILG							
Surface Cal Performed:		Wed Aug 30 00:06:33 2017							
Downhole Cal Performed:		Mon Jul 28 12:02:56 2008							
After Survey Verification Performed:		Mon Jul 28 12:02:56 2008							
Surface Calibration									
Readings				References			Results		
Loop:	Air	Loop		Air	Loop		m	b	
Deep	-0.014	0.629	V	0.000	400.000	mmho/m	620.000	0.000	
Medium	0.039	0.728	V	0.000	464.000	mmho/m	675.000	-44.000	
Internal:	Zero	Cal		Zero	Cal		m	b	
Deep	0.011	0.610	V	0.000	400.000	mmho/m	667.135	-7.256	
Medium	0.005	0.712	V	0.000	464.000	mmho/m	655.677	-3.102	
Downhole Calibration									
Readings				References			Results		
	Zero	Cal		Zero	Cal		m'	b'	
Deep	0.000	0.000	mmho/m	14.508	388.384	mmho/m	1.000	0.000	
Medium	0.000	0.000	mmho/m	166.367	504.400	mmho/m	1.000	0.000	
LL3		7.500	V		1400.000	Ohm-m			
		0.000	V		20.000	Ohm-m			
		-7.200	V		4000.000	mmho-m			
After Survey Verification									
Readings				Targets			Results		

Readings			Targets			Results		
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
Medium	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
LL3		1.000	Ohm-m		1.000	Ohm-m		
		0.000	Ohm-m		0.000	Ohm-m		
		1.000	mmho-m		1.000	mmho-m		

Litho Density Calibration Report

Serial: 002 Model: PRB

Master Calibration			Performed Mon Aug 21 11:27:42 2017					
	Background	Magnesium		Aluminum		Sandstone		
Window 1	837.1	10632.5		2945.1		12110.1		cps
Window 2	772.0	9117.4		2570.1		10197.3		cps
Window 3	631.7	4669.0		1481.9		5042.9		cps
Window 4	187.0	187.5		185.9		189.9		cps
Long Space	0.0	8345.4		1798.1		9425.3		cps
Short Space	1.1	1927.9		1285.9		2050.2		cps
Rho		1.7100		2.5960		1.3800		g/cc
Pe		0.0000		2.5700		1.5500		
Rib Angle	: 45.2	Rib Slope	: 1.008	Density/Spine Ratio			: 0.558	
Spine Angle	: 75.2	Spine Slope	: 3.790	Spine Intercept			: -19.6	

Before Survey Verification			Performed Wed Dec 31 18:00:00 1969					
Window 1	0.0	0.0		0.0		0.0		cps
Window 2	0.0	0.0		0.0		0.0		cps
Window 3	0.0	0.0		0.0		0.0		cps
Window 4	0.0	0.0		0.0		0.0		cps
Long Space	0.0	0.0		0.0		0.0		cps
Short Space	0.0	0.0		0.0		0.0		cps
Measured Rho		0.0000		0.0000		0.0000		g/cc
Measured Correction		0.0000		0.0000		0.0000		g/cc
Measured Pe				0.0000		0.0000		

After Survey Verification			Performed Wed Dec 31 18:00:00 1969					
Window 1	0.0	0.0		0.0		0.0		cps
Window 2	0.0	0.0		0.0		0.0		cps
Window 3	0.0	0.0		0.0		0.0		cps
Window 4	0.0	0.0		0.0		0.0		cps
Long Space	0.0	0.0		0.0		0.0		cps
Short Space	0.0	0.0		0.0		0.0		cps
Measured Rho		0.0000		0.0000		0.0000		g/cc
Measured Correction		0.0000		0.0000		0.0000		g/cc
Measured Pe				0.0000		0.0000		

Compensated Neutron Calibration Report

Serial Number: 070808

Tool Model: Probe

PRE-SURVEY VERIFICATION				
Detector	Readings	Measured	Target	

Short Space		cps		
Long Space		cps	pu	pu
POST-SURVEY VERIFICATION				
Detector		Readings	Measured	Target
Short Space		cps		
Long Space		cps	pu	pu
Gamma Ray Calibration Report				
Serial Number:		070558		
Tool Model:		OPEN_GR		
Performed:		Wed May 31 00:09:32 2017		
Calibrator Value:		1.0	GAPI	
Background Reading:		0.0	cps	
Calibrator Reading:		1.0	cps	
Sensitivity:		0.2800	GAPI/cps	