



MICRO LOG

Company	VINCENT OIL CORPORATION			
Well	PERKINS #3-33			
Field	WILDCAT			
County	FORD			
State	KANSAS			
Location:	AP1 # : 15-057-21003-00-00			
Permanent Datum	1650' FNL & 782' FEL			
Log Measured From	GROUND LEVEL			
Drilling Measured From	KELLY BUSHING 12' A.G.L.			
SEC 33	TWP 28S	RGE 23W	Elevation	2518'
			Other Services	CDL/CNL/DIL SONIC
			K.B. 2530	
			D.F. 2528	
			G.L. 2518	
Date	10/28/18			
Run Number	TWO			
Depth Driller	5360			
Depth Logger	5362			
Bottom Logged Interval	5342			
Top Log Interval	4200			
Casing Driller	8 5/8" @ 847			
Casing Logger	647			
Bit Size	7 7/8"			
Type Fluid in Hole	CHEMICAL MUD			
Density / Viscosity	9.3/52			
pH / Fluid Loss	10.0/9.6			
Source of Sample	FLOWLINE			
Rm @ Meas. Temp	.55@70			
Rmt @ Meas. Temp	.41@70			
Rmc @ Meas. Temp	.66@70			
Source of Rmt / Rmc	MEASURED			
Rm @ BHT	.30@128			
Time Circulation Stopped	2 HOURS			
Time Logger on Bottom	///			
Maximum Recorded Temperature	128F			
Equipment Number	1523			
Location	HAYS, KANSAS			
Recorded By	GUS PFANENSTIEL			
Witnessed By	Ken LeBlanc			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS
KINGSDOWN 2 NORTH,
4 MILES WEST, NORTH 3/4
WEST INTO AT TANK BATTERY .




MAIN PASS

Database File: 3153pe.db
Dataset Pathname: pass5.1
Presentation Format: _micro
Dataset Creation: Sun Oct 28 16:55:29 2018
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








4400


4450

4500

4550









4850



4900

4950

5000









REPEAT SECTION

Database File: 3153pe.db
 Dataset Pathname: pass4.1
 Presentation Format: _micro
 Dataset Creation: Sun Oct 28 16:10:15 2018
 Charted by: Depth in Feet scaled 1:240





5150

5200

5250

5300

