

**REPEAT
SECTION
LOG**

BEREXCO LLC				BEREXCO LLC																														
HARTNETT-HAZEN 2-21				HARTNETT-HAZEN 2-21																														
AMAZON DITCH EAST				AMAZON DITCH EAST																														
FINNEY				FINNEY																														
KANSAS				KANSAS																														
COMPANY	WELL	FIELD/BLOCK	COUNTY	STATE	COMPANY	WELL	FIELD/BLOCK	COUNTY	STATE																									
COMPANY	WELL	FIELD/BLOCK	COUNTY	STATE	COMPANY	WELL	FIELD/BLOCK	COUNTY	STATE																									
Permanent Datum	Log measured from	Drilling measured from	Date	Run No.	Depth - Driller	Depth - Logger	Bottom - Logged Interval	Top - Logged Interval	Casing - Driller	Casing - Logger	Bit Size	Type Fluid in Hole	Density	PH	Source of Sample	Rm @ Meas. Temperature	Rinf @ Meas. Temperature	Rmc @ Meas. Temperature	Source Rinf	Rm @ BHT	Time Since Circulation	Time on Bottom	Max. Rec. Temperature	Equipment	Recorded By	Witnessed By								
GL	KB	KB	03-Dec-18	1	4900.0 ft	4901.0 ft	4891	4600	8.625 in	@ 1782.0 ft	1770.0 ft	7.875 in	Water Based Mud	9.1 ppg	62.00 slqt	11.00 pH	8.4 cplm	0.65 ohmm	@ 76.00 degF	0.53 ohmm	@ 72.00 degF	0.79 ohmm	@ 72.00 degF	MEAS	0.41 ohmm	@ 125.0 degF	11:00 hr	03-Dec-18 15:50	125.00 degF	@ 4901.0 ft	12156883	EL RENO, OK	WHITLOCK	PETER VOLLMER
GL	KB	KB	03-Dec-18	1	4900.0 ft	4901.0 ft	4891	4600	8.625 in	@ 1782.0 ft	1770.0 ft	7.875 in	Water Based Mud	9.1 ppg	62.00 slqt	11.00 pH	8.4 cplm	0.65 ohmm	@ 76.00 degF	0.53 ohmm	@ 72.00 degF	0.79 ohmm	@ 72.00 degF	MEAS	0.41 ohmm	@ 125.0 degF	11:00 hr	03-Dec-18 15:50	125.00 degF	@ 4901.0 ft	12156883	EL RENO, OK	WHITLOCK	PETER VOLLMER
GL	KB	KB	03-Dec-18	1	4900.0 ft	4901.0 ft	4891	4600	8.625 in	@ 1782.0 ft	1770.0 ft	7.875 in	Water Based Mud	9.1 ppg	62.00 slqt	11.00 pH	8.4 cplm	0.65 ohmm	@ 76.00 degF	0.53 ohmm	@ 72.00 degF	0.79 ohmm	@ 72.00 degF	MEAS	0.41 ohmm	@ 125.0 degF	11:00 hr	03-Dec-18 15:50	125.00 degF	@ 4901.0 ft	12156883	EL RENO, OK	WHITLOCK	PETER VOLLMER
GL	KB	KB	03-Dec-18	1	4900.0 ft	4901.0 ft	4891	4600	8.625 in	@ 1782.0 ft	1770.0 ft	7.875 in	Water Based Mud	9.1 ppg	62.00 slqt	11.00 pH	8.4 cplm	0.65 ohmm	@ 76.00 degF	0.53 ohmm	@ 72.00 degF	0.79 ohmm	@ 72.00 degF	MEAS	0.41 ohmm	@ 125.0 degF	11:00 hr	03-Dec-18 15:50	125.00 degF	@ 4901.0 ft	12156883	EL RENO, OK	WHITLOCK	PETER VOLLMER
GL	KB	KB	03-Dec-18	1	4900.0 ft	4901.0 ft	4891	4600	8.625 in	@ 1782.0 ft	1770.0 ft	7.875 in	Water Based Mud	9.1 ppg	62.00 slqt	11.00 pH	8.4 cplm	0.65 ohmm	@ 76.00 degF	0.53 ohmm	@ 72.00 degF	0.79 ohmm	@ 72.00 degF	MEAS	0.41 ohmm	@ 125.0 degF	11:00 hr	03-Dec-18 15:50	125.00 degF	@ 4901.0 ft	12156883	EL RENO, OK	WHITLOCK	PETER VOLLMER
GL	KB	KB	03-Dec-18	1	4900.0 ft	4901.0 ft	4891	4600	8.625 in	@ 1782.0 ft	1770.0 ft	7.875 in	Water Based Mud	9.1 ppg	62.00 slqt	11.00 pH	8.4 cplm	0.65 ohmm	@ 76.00 degF	0.53 ohmm	@ 72.00 degF	0.79 ohmm	@ 72.00 degF	MEAS	0.41 ohmm	@ 125.0 degF	11:00 hr	03-Dec-18 15:50	125.00 degF	@ 4901.0 ft	12156883	EL RENO, OK	WHITLOCK	PETER VOLLMER
GL	KB	KB	03-Dec-18	1	4900.0 ft	4901.0 ft	4891	4600	8.625 in	@ 1782.0 ft	1770.0 ft	7.875 in	Water Based Mud	9.1 ppg	62.00 slqt	11.00 pH	8.4 cplm	0.65 ohmm	@ 76.00 degF	0.53 ohmm	@ 72.00 degF	0.79 ohmm	@ 72.00 degF	MEAS	0.41 ohmm	@ 125.0 degF	11:00 hr	03-Dec-18 15:50	125.00 degF	@ 4901.0 ft	12156883	EL RENO, OK	WHITLOCK	PETER VOLLMER
GL	KB	KB	03-Dec-18	1	4900.0 ft	4901.0 ft	4891	4600	8.625 in	@ 1782.0 ft	1770.0 ft	7.875 in	Water Based Mud	9.1 ppg	62.00 slqt	11.00 pH	8.4 cplm	0.65 ohmm	@ 76.00 degF	0.53 ohmm	@ 72.00 degF	0.79 ohmm	@ 72.00 degF	MEAS	0.41 ohmm	@ 125.0 degF	11:00 hr	03-Dec-18 15:50	125.00 degF	@ 4901.0 ft	12156883	EL RENO, OK	WHITLOCK	PETER VOLLMER
GL	KB	KB	03-Dec-18	1	4900.0 ft	4901.0 ft	4891	4600	8.625 in	@ 1782.0 ft	1770.0 ft	7.875 in	Water Based Mud	9.1 ppg	62.00 slqt	11.00 pH	8.4 cplm	0.65 ohmm	@ 76.00 degF	0.53 ohmm	@ 72.00 degF	0.79 ohmm	@ 72.00 degF	MEAS	0.41 ohmm	@ 125.0 degF	11:00 hr	03-Dec-18 15:50	125.00 degF	@ 4901.0 ft	12156883	EL RENO, OK	WHITLOCK	PETER VOLLMER
GL	KB	KB	03-Dec-18	1	4900.0 ft	4901.0 ft	4891	4600	8.625 in	@ 1782.0 ft	1770.0 ft	7.875 in	Water Based Mud	9.1 ppg	62.00 slqt	11.00 pH	8.4 c																	

Fold here

[illegible]

[illegible]

HALLIBURTON

Plot Time: 03-Dec-18 16:40:56


Plot Range: 4590 ft to 4905.92 ft


Data: BEREX_HARTNETT\Well Based\REPEAT\


Plot File: \\RPT\PoromL_5_main_IQ

REPEAT SECTION

REPEAT SECTION







HALLIBURTON

Plot Time: 03-Dec-18 16:40:58
Plot Range: 4590 ft to 4905.92 ft
Data: BEREX_HARTNETT\Well Based\REPEAT\
Plot File: \\RPT\PoroML_5_main_IQ

REPEAT SECTION

REPEAT SECTION


HALLIBURTON

Plot Time: 03-Dec-18 16:40:59
Plot Range: 4600 ft to 4905.92 ft
Data: BEREX_HARTNETT\Well Based\REPEAT\
Plot File: \\LOCAL-1\BEREX_HARTNETT\0001 RWCH-GTET-DSN-SDL-ACRT\RPT\ACRT_5inch_main

REPEAT SECTION

REPEAT SECTION

		0.2	20in Resistivity 2ft Res		2000	
		ohmm				
		0.2	60in Resistivity 2ft Res		2000	
		ohmm				
SP -]20[+		0.2	90in Resistivity 2ft Res		2K	
		ohmm				
0	Gamma API	150		15K	Tension	0
api				pounds		



4600


60in Resistivity 2ft Res

20in Resistivity 2ft Res

4700

4800

90in Resistivity 2ft Res



0	Gamma API	150			15K	Tension	0
	api					pounds	
	SP						
	-]20[+						
			0.2	90in Resistivity 2ft Res			2K
				ohmm			
			0.2	60in Resistivity 2ft Res			2000
				ohmm			
			0.2	20in Resistivity 2ft Res			2000
				ohmm			

HALLIBURTON

Plot Time: 03-Dec-18 16:41:00
Plot Range: 4600 ft to 4905.92 ft
Data: BEREX_HARTNETT\Well Based\REPEAT\
Plot File: \\-LOCAL-\\BEREX_HARTNETT\0001 RWCH-GTET-DSN-SDL-ACRT\RP\ACRT_5inch_main

REPEAT SECTION


REPEAT SECTION


HALLIBURTON

Plot Time: 03-Dec-18 16:41:00
Plot Range: 4590 ft to 4905.92 ft
Data: BEREX_HARTNETT\Well Based\REPEAT\
Plot File: \\-LOCAL-\\BEREX_HARTNETT\0001 RWCH-GTET-DSN-SDL-ACRT\RP\Microlog_IQ_5_main

REPEAT SECTION

REPEAT SECTION





6	Caliper	16	1 : 240 ft	15K	Tension	0
	inches				pounds	
0	Gamma API	150		0	MicrologLateral	20
	api				ohm-metre	
				0	MicrologNormal	20
					ohm-metre	

HALLIBURTON

Plot Time: 03-Dec-18 16:41:02
Plot Range: 4590 ft to 4905.92 ft
Data: BEREX_HARTNETT\Well Based\REPEAT\
Plot File: \\-LOCAL-\\BEREX_HARTNETT\0001 RWCH-GTET-DSN-SDL-ACRT\IRPT\Microlog_IQ_5_main

REPEAT SECTION

REPEAT SECTION