



MICRO LOG

Company	AUDERE EST FACERE	Company	AUDERE EST FACERE
Well	MAIDEN VOYAGE #1	Well	MAIDEN VOYAGE #1
Field	NA	Field	NA
County	ROOKS	County	ROOKS
State	KANSAS	State	KANSAS
Location:	API # : 15-163-24417-0000 1840' FSL & 1810' FWL	Other Services CDL/CNL DIL	
Permanent Datum	SEC 8 TWP 8S RGE 18W	Elevation	
Log Measured From	GROUND LEVEL	K.B. 1982	
Drilling Measured From	KELLY BUSHING 8' A.G.L KELLY BUSHING	D.F. 1980	
		G.L. 1984	
Date	1/6/21		
Run Number	TWO		
Depth Driller	3500		
Depth Logger	3498		
Bottom Logged Interval	3496		
Top Log Interval	2850		
Casing Driller	8 5/8" @ 215		
Casing Logger	215		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 900 PPM	
Density / Viscosity	9.1/60		
pH / Fluid Loss	11.0/5.4		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.50 @ 62F		
Rmf @ Meas. Temp	1.12 @ 62F		
Rmc @ Meas. Temp	1.80 @ 62F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	0.83 @ 112F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	112F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	SPENCER STAAB	DJ REBEL	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
PLAINVILLE, KS., - WEST TO ROAD 14 - 14 NORTH - 1/4 EAST - NORTH INTO




MAIN SECTION

Database File	5201ddn.db
Dataset Pathname	pass6.6
Presentation Format	_micro
Dataset Creation	Thu Jan 07 01:45:36 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		







3050


3100

3150

3200









REPEAT SECTION

Database File 5201ddn.db
 Dataset Pathname pass5.1
 Presentation Format _micro
 Dataset Creation Thu Jan 07 01:49:46 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			





Calibration Report

Database File 5201ddn.db
 Dataset Pathname pass5.1
 Dataset Creation Thu Jan 07 01:49:46 2021

MICRO_USR Calibration Report

Serial Number: 070911
 Tool Model: Probel
 Performed: Sun Dec 13 14:24:22 2020

Caliper Calibration: Gain=3.755 Offset=2.050

References Low Cal 8.000 High Cal 14.000

