



DUAL INDUCTION LL3/GR LOG

Company		COLT ENERGY INC.	
Well		HILL # C1	
Field		CENTERVILLE	
County		LINN	
State		KANSAS	
Location:		API #: 15-107-25338-0000	
Permanent Datum		NW SE SE NW	
Log Measured From		2185' FNL & 2138' FWL	
Drilling Measured From		SEC 10 TWP 21S RGE 22E	
Elevation		947' est	
Other Services		CDL/SWN	
K.B. ---		Elevation	
D.F. ---		G.L. 947' est	
G.L. 947' est			
Date	12-15-2020		
Run Number	ONE		
Depth Driller	822'		
Depth Logger	799'		
Bottom Logged Interval	797'		
Top Log Interval	SURFACE		
Casing Driller	8.625" @ 20'		
Casing Logger	8.625" @ 20'		
Bit Size	6.75"		
Type Fluid in Hole	MUD		
Density / Viscosity			
pH / Fluid Loss			
Source of Sample			
Rm @ Meas. Temp			
Rmf @ Meas. Temp			
Rmc @ Meas. Temp			
Source of Rmf / Rmc			
Rm @ BHT			
Time Circulation Stopped			
Time Logger on Bottom			
Maximum Recorded Temperature			
Equipment Number	OW2		
Location	HOMINY, OK		
Recorded By	W. LOWERY		
Witnessed By	MS. BALLARD		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

OW2-9317


CREW : M. KIDD




2" DIL SECTION

Database File	ow2-9317 colt energy.db
Dataset Pathname	DIL/pass1.3
Presentation Format	dil2mdcol
Dataset Creation	Tue Dec 15 10:45:44 2020
Charted by	Depth in Feet scaled 1:600

0	GR (GAPI)	150	1000	CILD (mmho/m)	0
0	SP (mV)	200	1000	CILM (mmho/m)	0
			0	RLL3 (Ohm-m)	50
			0	RILM (Ohm-m)	50
			0	RILD (Ohm-m)	50






5" DIL SECTION

Database File ow2-9317 colt energy.db
 Dataset Pathname DIL/pass1.2
 Presentation Format dil5mdcol
 Dataset Creation Tue Dec 15 10:45:39 2020
 Charted by Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	0.2	Deep Resistivity (Ohm-m)	2000
0	SP (mV)	200	0.2	Medium Resistivity (Ohm-m)	2000
			0.2	Shallow Resistivity (Ohm-m)	2000





50

100

150

200






250


300

350

400

450







500

550

600

650





Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
CILD SP	10.92 10.42		Cable-CableHead Isulation Sub	1.42	3.00	20.00
			DIL-GEAR (158) Dual Induction Electrical Log	21.36	4.00	395.00

CILM	7.00					
RLL3	1.65					

Dataset: ow2-9317 colt energy.db: field/well/DIL/pass1

Total length: 22.78 ft

Total weight: 415.00 lb

O.D.: 4.00 in