



MICRO LOG

Company	VINCENT OIL CORPORATION		
Well	IMEL #5-5		
Field	KINGSDOWN NORTHWEST		
County	FORD		
State	KANSAS		
Company	VINCENT OIL CORPORATION		
Well	IMEL #5-5		
Field	KINGSDOWN NORTHWEST		
County	FORD		
State	KANSAS		
Location:	API # : 15-057-21008-0000		
Permanent Datum	GROUND LEVEL	Elevation	2504
Log Measured From	2255' FSL & 1724' FWL SE - NW - NE - SW	CDL/CNL/PE DIL/SONIC	
Drilling Measured From	SEC 5 TWP 29S RGE 22W KELLY BUSHING	Elevation	K.B. 2516 D.F. 2614 G.L. 1504
Date	3/12/19		
Run Number	TWO		
Depth Driller	5320		
Depth Logger	5290		
Bottom Logged Interval	5274		
Top Log Interval	4300		
Casing Driller	8 5/8"@693'		
Casing Logger	693		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,100 PPM	
Density / Viscosity	9.2/61		
pH / Fluid Loss	11.0/8.4		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.600@50F		
Rmf @ Meas. Temp	.450@50F		
Rmc @ Meas. Temp	.720@50F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.234@128F		
Time Circulation Stopped	5.5 HOURS		
Time Logger on Bottom	10:15 P.M.		
Maximum Recorded Temperature	128F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	TOM DUDGEON		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
KINGSDOWN, KS., & HWY 54, 1N. ON "RD. 125" TO "WILDFIRE RD.", 1/2E., N. INTO






MAIN SECTION

Database File: 3602pe.db
Dataset Pathname: pass7.4
Presentation Format: micro
Dataset Creation: Mon Mar 11 22:13:16 2019
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








4700


4750

4800

4850

4900








4950

5000

5050


5100






REPEAT SECTION

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report

Database File: 3602pe.db
 Dataset Pathname: pass7.4
 Dataset Creation: Mon Mar 11 22:13:16 2019

MICRO Calibration Report

Serial Number: 070912
 Tool Model: ProbeN
 Performed: Mon Mar 11 21:15:11 2019

Caliper Calibration: Gain=4.094 Offset=-0.589
 References Low Cal High Cal
 Readings 7.600 18.000
 2.000 4.540

1.5" Calibration: Gain=50.000 Offset=0.000
 References Low Cal High Cal
 Readings 0.000 20.000
 0.002 1.239

2" Calibration: Gain=56.000 Offset=0.000
 References Low Cal High Cal
 Readings 0.000 20.000
 0.003 1.075

Gamma Ray Calibration Report		
Serial Number:	110959	
Tool Model:	OPEN_GR	
Performed:	Mon Mar 11 21:20:32 2019	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2400	GAPI/cps