

COMPENSATED DENSITY/NEUTRON LOG

Company	CHARLES N. GRIFFIN	Company	CHARLES N. GRIFFIN
Well	ADDIE #4	Well	ADDIE #4
Field	CROFT	Field	CROFT
County	PRATT	County	PRATT
State	KANSAS	State	KANSAS
Location:		API # : 15-151-22489-0000	Other Services DIL/MEL SON
Permanent Datum Log Measured From Drilling Measured From		SEC 28 TWP 29S RGE 15W 530' FSL & 330' FWL GROUND LEVEL KELLY BUSHING 11' A.G.L. KELLY BUSHING	Elevation K.B. 2014 D.F. 2012 G.L. 2003
Date	4/24/19		
Run Number	ONE		
Depth Driller	4825		
Depth Logger	4829		
Bottom Logged Interval	4809		
Top Log Interval	3000		
Casing Driller	8 5/8" @ 267		
Casing Logger	267		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.1/48		
pH / Fluid Loss	9.5/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.7 @ 58F		
Rmt @ Meas. Temp	.53 @ 58F		
Rmc @ Meas. Temp	.84 @ 58F		
Source of Rmt / Rmc	MEASURED		
Rm @ BHT	.34 @ 123F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	123F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	BRUCE REED		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS

WEST OF PRATT TO CROFT BLACK TOP, SOUTH TO 90 RD
1 EAST, 2 SOUTH, EAST INTO. @ TANK BATTERY

Charted by:		Depth in Feet scaled 1:12.10			
0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu) -10
6	CALIPER (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu) -10
0	MINMK	20	TBHV		-0.25 CORRECTION (g/cc) 0.25
			0 (ft3) 10		









3450



3500


3550



3600
















4550

4600

4650

4700





Database File: 3676ddn.db
 Dataset Pathname: pass20
 Presentation Format: den_neu
 Dataset Creation: Wed May 01 10:28:08 2019 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

