



MICRO LOG

Company ABERCROMBIE ENERGY, LLC.
Well #1-23 FOUUSER
Field WILDCAT
County SCOTT
State KANSAS

Company ABERCROMBIE ENERGY, LLC.
Well #1-23 FOUUSER
Field WILDCAT
County SCOTT State KANSAS
Location: API #: 15-171-21258-0000
830' FWL & 1390' FNL
NW - NE - SW - NW
Permanent Datum GROUND LEVEL Elevation 2973
Log Measured From KELLY BUSHING 7' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services CDL/CNL/PE DIL/SONIC
Elevation K.B. 2980 D.F. 2978 G.L. 2973

Table with 2 columns: Log Parameter (e.g., Date, Run Number, Depth Driller) and Value (e.g., 8/30/19, TWO, 4720).

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation...

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
SCOTT CITY, KS., 13N. ON HWY 83 TO "RD. 270", 2E. PAST "PAWNEE RD." INTO FARM YARD, S. INTO





MAIN SECTION


Database File: 3958pe.db  
 Dataset Pathname: pass6.2  
 Presentation Format: micro  
 Dataset Creation: Fri Aug 30 04:59:47 2019 by Calc SOC 120430  
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		











4150


4200

4250


4300








0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		




# REPEAT SECTION

Dataset Pathname: pass5.1  
 Presentation Format: micro  
 Dataset Creation: Fri Aug 30 04:04:06 2019 by Calc SOC 120430  
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





### Calibration Report

Database File: 3958pe.db  
 Dataset Pathname: pass6.2  
 Dataset Creation: Fri Aug 30 04:59:47 2019 by Calc SOC 120430

### MICRO Calibration Report

Serial Number: 070912  
 Tool Model: ProbeN  
 Performed: Tue Aug 27 15:42:39 2019

Caliper Calibration: Gain=4.160      Offset=-0.720

	Low Cal	High Cal
References	7.600	18.000
Readings	2.000	4.500

1.5" Calibration: Gain=38.000      Offset=-1.000

	Low Cal	High Cal
References	0.000	20.000
Readings	0.002	1.239

2" Calibration: Gain=62.000      Offset=-1.700

	Low Cal	High Cal
References	0.000	20.000
Readings	0.003	1.075

### Gamma Ray Calibration Report

Serial Number: 070559  
 Tool Model: OPEN\_GR  
 Performed: Sun Jul 28 03:01:32 2019

Calibrator Value: 1.0      GAPI

Background Reading: 0.0      cps  
 Calibrator Reading: 1.0      cps

Sensitivity: 0.2400      GAPI/cps