

SONIC LOG


Company	CHARLES N. GRIFFIN		
Well	ADDIE #5		
Field	CROFT		
County	PRATT		
State	KANSAS		
Company	CHARLES N. GRIFFIN		
Well	ADDIE #5		
Field	CROFT		
County	PRATT		
State	KANSAS		
Location:	API # : 15-151-22493-0000		
Permanent Datum	GROUND LEVEL	Elevation	1977
Log Measured From	KELLY BUSHING	11' A.G.L.	
Drilling Measured From	KELLY BUSHING		
SEC 28	TWP 29S	RGE 15W	
Other Services	CDL/CNL	DIL/MEL	
Elevation	K.B. 1988	D.F. 1986	G.L. 1977
Date	5/22/19		
Run Number	TWO		
Depth Driller	4810		
Depth Logger	4811		
Bottom Logged Interval	4803		
Top Log Interval	200		
Casing Driller	8 5/8"@267"		
Casing Logger	264		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,000 PPM	
Density / Viscosity	9.4/53		
pH / Fluid Loss	9.0/8.8		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.850@95F		
Rmf @ Meas. Temp	.638@95F		
Rmc @ Meas. Temp	1.02@95F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.657@123F		
Time Circulation Stopped	4.5 HOURS		
Time Logger on Bottom	1:15 P.M.		
Maximum Recorded Temperature	123F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	BRUCE REED	CHARLES GRIFFIN	J R GRIFFIN

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
CROFT, KS., 1 1/2S. TO "110TH RD.", 1 1/2E., N. INTO




MAIN SECTION

Database File: 3624ddn.db
Dataset Pathname: pass6.3
Presentation Format: slt
Dataset Creation: Thu May 23 15:05:33 2019
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
-----						-----		
0	MINMK	20	TBHV	0	ITT (msec)	20		
			0 (ft3)	10				








450


500

550

600










900


950

1000

1050









1350

1400

1450

1500








1550


1600

1650

1700









2000

2050

2100

2150






2200



2250


2300

2350

2400










2650


2700

2750

2800









3100

3150

3200

3250






3300


3350

3400

3450

3500







3550

3600

3650

3700








3750


3800

3850

3900










4200


4250

4300


4350







0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		



REPEAT SECTION

Database File: 3624ddn.db
 Dataset Pathname: pass5.1
 Presentation Format: slt
 Dataset Creation: Thu May 23 13:17:18 2019 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

