



SONIC LOG

Company SHELBY RESOURCES, LLC.

Well SLATTERY #1-16

Field

County BARTON

State KANSAS

Location: API #: 15-009-26273-0000

902' FNL & 800' FWL

SEC 16 TWP 18S RGE 14W

Permanent Datum GROUND LEVEL Elevation 1959
Log Measured From KELLY BUSHING 5' A.G.L
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL
DIL/MEL
Elevation
K.B. 1964
D.F. 1962
G.L. 1959

Date 10/3/19

Run Number TWO

Depth Driller 3550

Depth Logger 3545

Bottom Logged Interval 3535

Top Log Interval 00

Casing Driller 8 5/8" @ 938'

Casing Logger 938'

Bit Size 7 7/8

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.2/52

pH / Fluid Loss 9.5/9.6

Source of Sample FLOWLINE

Rm @ Meas. Temp .70 @ 80F

Rmf @ Meas. Temp .52 @ 80F

Rmc @ Meas. Temp .84 @ 80F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .50 @ 112F

Time Circulation Stopped 2 HOURS

Time Logger on Bottom

Maximum Recorded Temperature 112F

Equipment Number 3802

Location HAYS, KANSAS

Recorded By JASON CAPPELLUCCI

Witnessed By JEREMY SCHWARTZ

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
RUSSELL KS, SOUTH TO INTERSECTION OF HWY 281 & HWY 4 - 3 SOUTH ON BOYD
BLKTOP - 2 WEST - 1/4 SOUTH - EAST INTO






MAIN SECTION

Database File	3996ddn8.db
Dataset Pathname	pass9
Presentation Format	_slt
Dataset Creation	Fri Oct 04 01:06:08 2019
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20
			0 (ft3) 10				








100
450
500
550
600







650


700

750

800









1100


1150

1200


1250








1680
1550
1600
1650
1700







1750


1800

1850

1900









2200

2250

2300

2350






2400



2450


2500


2550


2600














REPEAT SECTION

Database File 3996ddn8.db
 Dataset Pathname pass8.1
 Presentation Format _slt
 Dataset Creation Fri Oct 04 01:17:20 2019
 Charted by Depth in Feet scaled 1:240

