



SONIC LOG

Company	DIXON OPERATING COMPANY, LLC.		
Well	DSA #2-3		
Field	MIKES METEOR		
County	STAFFORD		
State	KANSAS		
Company	DIXON OPERATING COMPANY, LLC.		
Well	DSA #2-3		
Field	MIKES METEOR		
County	STAFFORD		
State	KANSAS		
Location:	API # : 15-185-24059-0000		Other Services CDL/CNL/PE DIL/MEL
2210' FSL & 2970' FEL			
Permanent Datum	GROUND LEVEL		Elevation 1834
Log Measured From	KELLY BUSHING 11' A.G.L		
Drilling Measured From	KELLY BUSHING		
SEC 3	TWP 23S	RGE 12W	Elevation K.B. 1845 D.F. 1843 G.L. 1834
Date	10/18/19		
Run Number	TWO		
Depth Driller	3850		
Depth Logger	3848		
Bottom Logged Interval	3838		
Top Log Interval	300		
Casing Driller	8 5/8" @ 306'		
Casing Logger	306'		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD		CHLORIDES 6800 PPM
Density / Viscosity	9.2/46		
pH / Fluid Loss	10.5/9.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	0.65 @ 83F		
Rmf @ Meas. Temp	0.48 @ 83F		
Rmc @ Meas. Temp	0.78 @ 83F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	0.46 @ 115F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	115F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	BRUCE REED		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
ST. JOHN, KS. - 4 NORTH TO NE 70TH RD. - 6 EAST TO 60TH - 1 1/4 NORTH
EAST INTO







MAIN SECTION


Database File	4000pe8.db
Dataset Pathname	pass6
Presentation Format	_slt
Dataset Creation	Fri Oct 18 21:20:10 2019
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			





















1800



1850


1900


1950


2000


























3600

3650

3700



3750






REPEAT SECTION

Database File 4000pe8.db
 Dataset Pathname pass5.1
 Presentation Format _slt
 Dataset Creation Fri Oct 18 21:38:56 2019
 Charted by Depth in Feet scaled 1:240





3650

3700

3750

3800

