



MICRO LOG

Company	VINCENT OIL CORPORATION
Well	CLOSE #1-3
Field	MULBERRY CREEK
County	FORD
State	KANSAS
Company	VINCENT OIL CORPORATION
Well	CLOSE #1-3
Field	MULBERRY CREEK
County	FORD
State	KANSAS
Location:	API # : 15-057-21028-0000
Permanent Datum	1580' FNL & 515' FEL
Log Measured From	NW - NE - SE - NE
Drilling Measured From	SEC 3 TWP 29S RGE 23W
GROUND LEVEL	Elevation 2534
KELLY BUSHING	12' A.G.L.
KELLY BUSHING	Elevation 2534
Other Services	CDL/CNL/PE DIL/SONIC
Elevation	K.B. 2546 D.F. 2544 G.L. 2534
Date	10/18/19
Run Number	TWO
Depth Driller	5400
Depth Logger	5401
Bottom Logged Interval	5385
Top Log Interval	4200
Casing Driller	8 5/8"@689'
Casing Logger	689
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.1/59
pH / Fluid Loss	10.5/9.2
Source of Sample	FLOWLINE
Rim @ Meas. Temp	.450@80F
Rmf @ Meas. Temp	.338@80F
Rmc @ Meas. Temp	.540@80F
Source of Rmf / Rmc	MEASUREMENT
Rim @ BHT	.279@129F
Time Circulation Stopped	5.5 HOURS
Time Logger on Bottom	5:30 P.M.
Maximum Recorded Temperature	129F
Equipment Number	922339
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	KEN LeBLANC


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS


KINGSDOWN, KS., & HWY 54, 2N. ON "RD. 125" TO "WILBURN RD.", 3W. TO "RD. 122", 1/2S., W. INTO







MAIN SECTION


Database File: 3973pe.db
 Dataset Pathname: pass6.3
 Presentation Format: micro
 Dataset Creation: Fri Oct 18 17:38:22 2019 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		












4850



4900

4950

5000










REPEAT SECTION

Database File: 3973pe.db
Dataset Pathname: pass5.4
Presentation Format: micro
Dataset Creation: Fri Oct 18 17:13:55 2019
Charted by: Depth in Feet scaled 1:240



6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40

0	MINMK	20	1BHV
		0	(ft3) 10

Calibration Report

Database File: 3973pe.db
Dataset Pathname: pass6.3
Dataset Creation: Fri Oct 18 17:38:22 2019 by Calc SOC 120430

MICRO Calibration Report

Serial Number:	070911	
Tool Model:	ProbeN	
Performed:	Fri Oct 18 16:54:03 2019	
Caliper Calibration:	Gain=7.273	Offset=-2.182
References	Low Cal	High Cal
Readings	8.000	16.000
	1.400	2.500
1.5" Calibration:	Gain=40.000	Offset=-1.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	1.240
2" Calibration:	Gain=52.000	Offset=-1.200
References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	1.076

Gamma Ray Calibration Report

Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Tue Oct 08 07:30:39 2019	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2500	GAPI/cps