

DIRECTIONAL INFORMATION

Maximum Deviation @ KOP @

Remarks: 5 1/2" CASING USED FOR ANNULAR HOLE VOLUME

HALLIBURTON DOES NOT GUARANTEE THE ACCURACY OF ANY INTERPRETATION OF THE LOG DATA, CONVERSION OF LOG DATA TO PHYSICAL ROCK PARAMETERS OR RECOMMENDATIONS WHICH MAY BE GIVEN BY HALLIBURTON PERSONNEL OR WHICH APPEAR ON THE LOG OR IN ANY OTHER FORM. ANY USER OF SUCH DATA, INTERPRETATIONS, CONVERSIONS, OR RECOMMENDATIONS AGREES THAT HALLIBURTON IS NOT RESPONSIBLE EXCEPT WHERE DUE TO GROSS NEGLIGENCE OR WILLFUL MISCONDUCT, FOR ANY LOSS, DAMAGES, OR EXPENSES RESULTING FROM THE USE THEREOF.


HALLIBURTON





Plot Time: 09-Nov-19 09:00:31
 Plot Range: 3600 ft to 4403.67 ft
 Data: RUSSELL_NEWMAN\Well Based\DAQ-0001-003\
 Plot File: \\RPT\Porosity_IQ_5_MAIN


REPEAT SECTION


REPEAT SECTION











6	Caliper	16	1 : 240	0	Pe	10	-0.25	DensityCorr	0.25
	inches		ft					gram per cc	
0	Gamma API	150	AHVT				15K	Tension	0
	api		BHVT	30				pounds	
								DensityPorosity	-10
								%	
				30				Neutron Porosity	-10
								%	

HALLIBURTON Plot Time: 09-Nov-19 09:00:34
 Plot Range: 3600 ft to 4403.67 ft
 Data: RUSSELL_NEWMAN\Well Based\DAQ-0001-003\
 Plot File: \\RPT\Porosity_5_MAIN

REPEAT SECTION

REPEAT SECTION

HALLIBURTON Plot Time: 09-Nov-19 09:00:34
 Plot Range: 3600 ft to 4403.67 ft
 Data: RUSSELL_NEWMAN\Well Based\DAQ-0001-003\
 Plot File: \\LOCAL\RUSSELL_NEWMAN\0001 GTET-DSN-SDL-ACRT\RPT\ACRT_5inch_main

REPEAT SECTION

REPEAT SECTION

0.2	10in Resistivity 2ft Res	2K
	ohmm	
0.2	20in Resistivity 2ft Res	2000
	ohmm	

0.2

30in Resistivity 2ft Res

2000

ohm-metre

0.2

60in Resistivity 2ft Res

2000

ohmm

0.2

90in Resistivity 2ft Res

2K

ohmm

SP

-|20|+

Gamma API

150

api

15K

Tension

0

pounds



3600

3700

60in Resistivity 2ft Res

20in Resistivity 2ft Res

30in Resistivity 2ft Res







3800

3900


4000






4100


4200





4300

4400



0	Gamma API	150
	api	
	SP	
	-]20[+	

	15K	Tension	0
		pounds	
0.2	90in Resistivity 2ft Res		2K
	ohmm		
0.2	60in Resistivity 2ft Res		2000
	ohmm		
0.2	30in Resistivity 2ft Res		2000
	ohm-metre		
0.2	20in Resistivity 2ft Res		2000
	ohmm		
0.2	10in Resistivity 2ft Res		2K
	ohmm		

HALLIBURTON

Plot Time: 09-Nov-19 09:00:36
 Plot Range: 3600 ft to 4403.67 ft
 Data: RUSSELL_NEWMAN\Well Based\DAQ-0001-003\
 Plot File: \\-LOCAL-1\RUSSELL_NEWMAN\0001 GTET-DSN-SDL-ACRT\RPT\ACRT_5inch_main

REPEAT SECTION


REPEAT SECTION


HALLIBURTON

Plot Time: 09-Nov-19 09:00:36
Plot Range: 3600 ft to 4403.67 ft
Data: RUSSELL_NEWMAN\Well Based\
Plot File: \\-LOCAL-RUSSELL_NEWMAN\0001 GTET-DSN-SDL-ACRT\RPT\Microlog_IQ_5_main

REPEAT SECTION

REPEAT SECTION






3800

3900


Gamma API

Caliper



MicrologNormal

MicrologLateral




4000

4100


Gamma API

Caliper



MicrologNormal

MicrologLateral



4200

4300

4400

FRGamma API

FRCaliper

FRMicrologLateral

FRMicrologNormal

6 Caliper 16
inches

0 Gamma API 150

1 : 240
ft

15K Tension 0
pounds

0 MicrologLateral 40

HALLIBURTON

Plot Time: 09-Nov-19 09:00:38

Plot Range: 3600 ft to 4403.67 ft

Data: RUSSELL_NEWMANWell Based*

Plot File: \\-LOCAL-\\RUSSELL_NEWMAN\0001 GTET-DSN-SDL-ACRT\RPT\Microlog_IQ_5_main

REPEAT SECTION

REPEAT SECTION