

SONIC LOG


Company	MAI OIL OPERATIONS, INC.		
Well	K&R MAI #1		
Field	KRAFT - PRUSA		
County	BARTON		
State	KANSAS		
Company	MAI OIL OPERATIONS, INC.		
Well	K&R MAI #1		
Field	KRAFT - PRUSA		
County	BARTON		
State	KANSAS		
Location:	API # : 15-009-26286-0000 2310' FNL & 909' FVL W/2 - SE - SW - NW		
Permanent Datum	GROUND LEVEL	Elevation	1853
Log Measured From	KELLY BUSHING	9' A.G.L.	
Drilling Measured From	KELLY BUSHING		
SEC 8	TWP 16S	RGE 11W	
Other Services	CDL/CNL	DIL/MEL	
Elevation	K.B. 1862	D.F. 1860	G.L. 1853
Date	2/10/20		
Run Number	TWO		
Depth Driller	3400		
Depth Logger	3400		
Bottom Logged Interval	3392		
Top Log Interval	400		
Casing Driller	8 5/8"@402'		
Casing Logger	402		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,300 PPM	
Density / Viscosity	9.0/42		
pH / Fluid Loss	9.5/8.0		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.550@62F		
Rmf @ Meas. Temp	.413@62F		
Rmc @ Meas. Temp	.660@62F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.307@111F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	7:00 A.M.		
Maximum Recorded Temperature	111F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	JIM MUSGROVE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
BEAVER, KS., 5E. TO "110 AVE.", 2 1/2N., E. INTO






MAIN SECTION



Database File: 4528ddn.db
Dataset Pathname: pass6.3
Presentation Format: slt
Dataset Creation: Mon Feb 10 07:54:42 2020 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10


0	MINMK	20	TBHV	0	ITT (msec)	20		
			0 (ft3)	10				














1250


1300

1350

1400









1700

1750

1800

1850








1900


1950

2000

2050










2350


2400

2450

2500










2800


2850

2900


2950







0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		



REPEAT SECTION

Database File: 4528ddn.db
 Dataset Pathname: pass5.4
 Presentation Format: slt
 Dataset Creation: Mon Feb 10 07:13:32 2020 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV	0	ITT (msec)	20		
			0 (ft3)	10				

