



MICRO LOG

Company	MAI OIL OPERATIONS, INC.		
Well	K&R MAI #1		
Field	KRAFT - PRUSA		
County	BARTON	State	KANSAS
Location:	SEC 8 TWP 16S RGE 11W		Other Services CDL/CNL DIL/SON
Permanent Datum	GROUND LEVEL	Elevation	1853
Log Measured From	KELLY BUSHING	9' A.G.L.	
Drilling Measured From	KELLY BUSHING		
Date	2/10/20		
Run Number	TWO		
Depth Driller	3400		
Depth Logger	3400		
Bottom Logged Interval	3384		
Top Log Interval	2400		
Casing Driller	8 5/8"@402'		
Casing Logger	402		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,300 PPM	
Density / Viscosity	9.0/42		
pH / Fluid Loss	9.5/8.0		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.550@62F		
Rmf @ Meas. Temp	.413@62F		
Rmc @ Meas. Temp	.660@62F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.307@111F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	7:00 A.M.		
Maximum Recorded Temperature	111F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	JIM MUSGROVE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
BEAVER, KS., 5E. TO "110 AVE.", 2 1/2N., E. INTO




MAIN SECTION

Database File: 4528ddn.db
 Dataset Pathname: pass6.2
 Presentation Format: micro
 Dataset Creation: Mon Feb 10 07:25:24 2020 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








2600


2650

2700

2750










3050

3100

3150


3200





REPEAT SECTION

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0 0	0	MEL 20 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			



			3400													
0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)										40	
6	CALIPER (in)	16	10 (ft3)	0	0	MEL 20 (Ohm-m)										40
-----			-----													
0	MINMK	20	TBHV													
			0 (ft3)	10												