



SONIC LOG


Company		GRIFFIN MANAGEMENT, LLC.	
Well		MARLEE #1	
Field		TURKEY CREEK NORTH	
County		BARBER	
State		KANSAS	
Location:		API # : 15-007-24365-0000	
Permanent Datum		GROUND LEVEL	
Log Measured From		KELLY BUSHING 12' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 17 TWP 30S RGE 15W		Elevation	
		K.B. 1889	
		D.F. 1887	
		G.L. 1877	
Date		12/10/19	
Run Number		TWO	
Depth Driller		4820	
Depth Logger		4816	
Bottom Logged Interval		4808	
Top Log Interval		200	
Casing Driller		8 5/8"@268'	
Casing Logger		268	
Bit Size		7 7/8"	
Type Fluid in Hole		CHEMICAL MUD	
Density / Viscosity		9.3/59	
pH / Fluid Loss		10.0/8.8	
Source of Sample		FLOWLINE	
Rim @ Meas. Temp		.750@46F	
Rmf @ Meas. Temp		.563@46F	
Rmc @ Meas. Temp		.900@46F	
Source of Rmf / Rmc		MEASUREMENT	
Rim @ BHT		.280@123F	
Time Circulation Stopped		4.5 HOURS	
Time Logger on Bottom		8:30 P.M.	
Maximum Recorded Temperature		123F	
Equipment Number		922339	
Location		HAYS, KANSAS	
Recorded By		JEFF LUEBBERS	
Witnessed By		BRUCE REED	
		CHUCK GRIFFIN	
		J R GRIFFIN	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
SUN CITY, KS. & "LAKE RD.", 4 1/4 W., 1 1/4 N. INTO PASTURE






MAIN SECTION



Database File: 4392pe.db
Dataset Pathname: pass6.6
Presentation Format: slt
Dataset Creation: Tue Dec 10 22:37:05 2019
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				












900



950



1000


1050












1750


1800

1850

1900

1950







2000



2050


2100

2150












2650


2700

2750

2800










3100


3150



3200



3250

















4200



4250

4300


4350







0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)		-10
0	MINMK	20	TBHV	0	ITT (msec)	20	
			0 (ft3) 10				



REPEAT SECTION

Database File: 4392pe.db
 Dataset Pathname: pass5.4
 Presentation Format: slt
 Dataset Creation: Tue Dec 10 22:48:12 2019 by Calc SOC 120430
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

