



SONIC LOG

Company	VINCENT OIL COMPANY		
Well	SANDYLAND #4-27		
Field	MULBERRY CREEK		
County	FORD		
State	KANSAS		
Company	VINCENT OIL COMPANY		
Well	SANDYLAND #4-27		
Field	MULBERRY CREEK		
County	FORD		
State	KANSAS		
Location:	APL # : 15-057-21032-0000 2295' FSL & 360' FWL SE - NW - NW - SW		
Permanent Datum	GROUND LEVEL	Elevation	2507
Log Measured From	KELLY BUSHING 12' A.G.L.		
Drilling Measured From	KELLY BUSHING		
SEC 27 TWP 28S RGE 23W			
Other Services CDL/CNL/PE DIL/MEL			
Elevation			
K.B. 2519 D.F. 2517 G.L. 2507			
Date	12/9/19		
Run Number	TWO		
Depth Driller	5360		
Depth Logger	5361		
Bottom Logged Interval	5353		
Top Log Interval	600		
Casing Driller	8 5/8"@647'		
Casing Logger	643		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 9,800 PPM	
Density / Viscosity	9.2/57		
pH / Fluid Loss	9.5/12.4		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.450@79F		
Rmf @ Meas. Temp	.338@79F		
Rmc @ Meas. Temp	.540@79F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.278@128F		
Time Circulation Stopped	4.5 HOURS		
Time Logger on Bottom	3:45 P.M.		
Maximum Recorded Temperature	128F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KEN LeBLANC		


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS


KINGSDOWN, KS. & HWY 54, 2N. ON "RD. 125" TO "WILBURN RD.", 4W. TO "RD. 121", 1N., E. INTO





MAIN SECTION


Database File: 4391pe.db
Dataset Pathname: pass6.4S
Presentation Format: slt
Dataset Creation: Mon Dec 09 18:34:19 2019
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				












1450


1500


1550

1600

1650









1900

1950

2000

2050






2100


2150

2200

2250

2300








2350



2400


2450



2500






























4300


4350

4400

4450

4500







4550

4600

4650

4700






4750


4800

4850

4900

4950







5000


5050

5100

5150







REPEAT SECTION

Database File: 4391pe.db
Dataset Pathname: pass5.2
Presentation Format: slt
Dataset Creation: Mon Dec 09 16:18:06 2019 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				

