

DUAL RECEIVER CEMENT BOND LOG

Company	GRAND MESA OPERATING COMPANY		
Well	PREISSER #1-34		
Field			
County	RENO		
State	KANSAS	Country USA	
Company	GRAND MESA OPERATING COMPANY		
Well	PREISSER #1-34		
Field			
County	RENO		
State	KANSAS	Country USA	
Location:	API # : 15-155-21771-00-00		Other Services
Permanent Datum	330' FNL & 1620' FEL		Elevation K.B. 1688 D.F. 1687 G.L. 1677
Log Measured From	E/2 - NE - NW - NE		
Drilling Measured From	KELLY BUSHING		
Date	1/23/20		
Run Number	ONE		
Depth Driller	4140		
Depth Logger	4075		
Bottom Logged Interval	4074		
Top Log Interval	2200		
Open Hole Size	7-7/8"		
Type Fluid	WATER		
Density / Viscosity			
Max. Recorded Temp.			
Estimated Cement Top	2400		
Time Well Ready			
Time Logger on Bottom			
Equipment Number	3362		
Location	HAYS, KANSAS		
Recorded By	DAN GOTTSCHALK		
Witnessed By	JOHN JOHNSON		
Borehole Record			
Run Number	Bit	From	To
ONE	12-1/4"	0	266
TWO	7-7/8"	266	4140
Tubing Record			
Casing Record	Size	Wgt/Ft	Top
Surface String	8-5/8"		0
Prot. String	5-1/2"		0
Production String			
Liner			


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES
HAYS, KS. 785-628-6395
DIRECTIONS: SYLVIA - EAST ON HWY. 50 TO LANGDON BLACKTOP - 4 SOUTH
1.5 EAST - 1.5 EAST - SOUTH INTO

Charted by: _____ Depth in Feet scaled 1:1.25								
0	Gamma Ray (GAPI)	150	0	3' Amplitude (mV)	100	200	5FT VDL	1000
200	5' Travel Time (usec)	1000	9	CCL	-1			
-----			0	Amplified Amplitude (mV)	20			





2400



2450


2500

2550

2600

TOP OF CEMENT








2650

2700

2750

2800







2850


2900

2950

3000

3050








3100

3150

3200

3250










3300


3350

3400

3450







3750

3800

3850

3900

