

MICRO LOG


Company	TRANS PACIFIC OIL CORP.		
Well	DEMEL-CHRISTIANS UNIT A #1-20		
Field	BEAVER SOUTH		
County	BARTON	State	KANSAS
Location:	AP1 # : 15-009-26285-0000		Other Services
SEC 20 TWP 16S RGE 12W		CDL/CNL/DIL	
2445' FNL & 1230' FEL		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	1922
Log Measured From	KELLY BUSHING 6' A.G.L.	K.B. 1928	D.F. 1926
Drilling Measured From	KELLY BUSHING	G.L. 1922	
Date	02/24/2020		
Run Number	TWO		
Depth Driller	3460		
Depth Logger	3459		
Bottom Logged Interval	3456		
Top Log Interval	2600		
Casing Driller	8 5/8" @ 391		
Casing Logger	391		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.1/54		
pH / Fluid Loss	10.5/7.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.8 @ 65F		
Rmt @ Meas. Temp	.60 @ 65F		
Rmc @ Meas. Temp	.96 @ 65F		
Source of Rmt / Rmc	MEASURED		
Rm @ BHT	.46 @ 111F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	///		
Maximum Recorded Temperature	111F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	BRYCE BIDDLEMAN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
DIRECTIONS
BEAVER BLACKTOP NORTH 1/2 MILE, WEST INTO.






MAIN PASS


Database File: 4681ddn.db
Dataset Pathname: pass5.1
Presentation Format: _micro
Dataset Creation: Mon Feb 24 15:15:37 2020
Charted by: Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			













REPEAT SECTION

Database File: 4681ddn.db
 Dataset Pathname: pass4RP
 Presentation Format: micro
 Dataset Creation: Mon Feb 24 14:51:23 2020 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report

Database File: 4681ddn.db
 Dataset Pathname: pass4RP
 Dataset Creation: Mon Feb 24 14:51:23 2020 by Calc Open-Cased 090629

MICRO Calibration Report

Serial Number: Micro1
 Tool Model: ProbeL
 Performed: Mon Feb 17 12:46:42 2020

Caliper Calibration: Gain=3.980 Offset=5.151

	Low Cal	High Cal
References	9.500	13.000
Readings	0.308	2.032

1.5" Calibration: Gain=36.134 Offset=-1.000

	Low Cal	High Cal
References	0.000	20.000
Readings	0.004	0.832

2" Calibration: Gain=38.000 Offset=-0.800

	Low Cal	High Cal
References	0.000	20.000
Readings	0.022	0.793

Gamma Ray Calibration Report

Serial Number: GR5

Tool Model:	OPEN
Performed:	Sun Jan 05 05:38:27 2020

Calibrator Value:	1.0	GAPI
-------------------	-----	------

Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps

Sensitivity:	0.9500	GAPI/cps
--------------	--------	----------